

# Bathroom



**Lucci**

Exclusive to Beacon Lighting

*Beacon*  
LIGHTING



Pirouette 8 light pendant in crystal and chrome.  
Cover: Habitat 600mm string sphere pendant in white.

# Bathroom

2011 - 2012

Contact .....	31	Ledlux Azuka .....	6
Dansk .....	30	Ledlux Downlight.....	6-7
Delta .....	29	Ledlux Ribbon Light.....	12-13
Edge .....	18	Mars II .....	28
Envirolux Aura .....	26	Mett II.....	12,14-15
Envirolux CNC front Round .....	9	Palmera.....	25
Envirolux Dawn .....	17	Pell II .....	21
Envirolux Linea .....	16	Project .....	34
Envirolux Neptune .....	11	Sekta .....	30
Envirolux Radia .....	26	Silo II.....	19
Envirolux Sayama.....	24	Sintra .....	23
Envirolux Torquay .....	22	Sky .....	30
Envirolux Triton .....	10	Splash.....	27
Fozz Arko .....	27	Starlight Downlight .....	10
Fozz Lyx .....	27	Thermalite.....	32-33
Fozz Planet .....	8	Thermalite Deluxe.....	32
Heller .....	35	Venus II .....	28
Horizo II .....	20	Visor .....	31
Kio .....	23	Wave .....	29

This catalogue showcases our extensive range of Bathroom products. Bathroom lighting is one of the most important rooms in a home to get the lighting right.

The general lighting in a bathroom needs to be flexible to provide a relaxing environment to unwind, however you also need to have functional lighting which will be used when applying makeup or to shave under.

### **Tips for Bathroom lighting**

General lighting can be achieved by installing downlights, bathroom heater light combinations or a flush mount. These need to be supplemented with a vanity light over your bathroom mirror which will give you the functional light onto your face.

Other considerations that could be used are small pendants or chandeliers to add more ambience to your bathroom.

Please refer to our modern and traditional pendants, modern essentials and low energy catalogues available for more lighting choices for your bathroom.

Bathrooms are particularly prone to moisture problems caused by high humidity. Every time you run hot water, you create steam. That steam penetrates every crevice and soon cools down and turns to water resulting in condensation. This feeds mould, mildew and even in some cases can contribute to structural rot.

It is important to provide some means of expelling the moist air along with any potentially unpleasant odours. To expel humid air before it has the chance to condense, every bathroom needs ventilation. In most cases the best ventilation for a bathroom is an exhaust fan.

### **What should I look for when purchasing an exhaust fan?**

Most new homes come with some form of adequate exhaust system, however in older homes often there is either no form of ventilation or the exhaust fan provided is underpowered. When buying a new ventilation fan, be sure to check its rating for air movement, which is measured by cubic feet per minute (CFM). For an average-size bathroom, the minimal requirement is 80 CFM.

### **What capacity exhaust fan do I need?**

The size or capacity of the exhaust fan you need is determined by the type of room it is to be installed in, as different rooms require different rates of air flow. The rate of air flow is determined by the number of complete changes of air within the room per hour.

#### **For example**

- > A bathroom without a shower has 6-8 changes of air per hour.
- > A bathroom with a shower has 15-20 changes of air per hour.

### **How do I determine the exhaust fan capacity needed?**

To determine the minimum capacity of fan required, calculate the volume of the room (length x width x height) then multiply by the recommended number of air changes required. Then choose an exhaust fan with an air extraction value that will accommodate your size room.

#### **For Example**

An average size bathroom with a shower, of 2 metres (length) x 2 metres (width) x 2.4 metres (height) x 15 (average changes of air per hour) = 144m<sup>3</sup>/h required.

Multiple exhaust fans may be needed for large bathrooms.

### **Where do I position my exhaust fan?**

For an exhaust fan to perform at maximum efficiency, it's vital that the exhaust fan has access to a balanced airflow. This means that the volume of air being exhausted by the fan must be matched by that flowing into the room. The best source of this in-flowing air is fresh air either from a window, vent or grille in a door or exterior wall, its important to position the exhaust fan opposite this source of in-flowing air to encourage a cross-breeze which is essential to clear vapour and odours.

It's important not to position an exhaust fan too close to a door/window as this will provide air circulation at the door/window but have little or no effect on the rest of the room.

For ventilation of bathrooms with a shower it's recommended to use a ducted, in roof mounted exhaust fan. This allows the extract grille to be installed directly above the shower for maximum efficiency whilst maintaining electrical safety with the fan being remote from any water spray.

### **Be warm with Thermalite**

Beacon Lightings range of Thermalites combine heat globes, an exhaust fan and a light to provide a gentle radiant heat, a light and an exhaust fan all in one sleek compact unit. These are particularly useful in avoiding being cold when you get out of the shower in the middle of winter.

To obtain professional advice on the best bathroom lights and exhaust fans for your home, visit a Beacon Lighting store and we can arrange for an accredited lighting consultant to come out and visit you.



Envirolux Carrera, 22 Watt TS fluorescent light. Complete with cool white tube.

# LEDlux Downlight / Azuka

A

A  
**LEDlux Downlight**  
sku 170180

LED gimble 15deg downlight in silver  
**Dia** 80mm **Depth** 45mm  
**Cut-out** 69mm  
12 Volt 3 x 1.2W OSRAM  
LED warm white  
(transformer included, average rated  
life: 50,000 hours)

B

B  
**LEDlux Azuka**  
sku 020296

LED pendant with black cloth cable  
and chrome detail  
**H** 180mm **Dia.** 120mm  
**Ext.** 1500mm  
1 LED light x 3W 3500K  
(driver included)



**LEDlux**  
Super efficient lighting



A



B



C



D

**A**  
**LEDlux Downlight**  
sku 170181

LED gimble 15deg downlight  
in silver  
**Dia** 80mm **Depth** 94.5mm  
**Cut-out** 69mm  
12 Volt 3 x 3W OSRAM  
LED warm white  
(transformer included, average  
rated life: 50,000 hours)

**B**  
**LEDlux Downlight**  
sku 170182

LED gimble 35deg downlight  
in silver  
**Dia** 80mm **Depth** 94.5mm  
**Cut-out** 69mm  
12 Volt 3 x 3W OSRAM  
LED warm white  
(transformer included, average  
rated life: 50,000 hours)

**C**  
**LEDlux Downlight**  
sku 170183

LED gimble 15deg  
downlight in white  
**Dia** 80mm **Depth** 94.5mm  
**Cut-out** 69mm  
12 Volt 3 x 3W OSRAM  
LED warm white  
(transformer included, average  
rated life: 50,000 hours)

**D**  
**LEDlux Downlight**  
sku 170184

LED gimble 35deg downlight  
in white  
**Dia** 80mm **Depth** 94.5mm  
**Cut-out** 69mm  
12 Volt 3 x 3W OSRAM  
LED warm white  
(transformer included, average  
rated life: 50,000 hours)

**FOZZ**®  
ENERGY SAVING LIGHTING



A



B

**A**  
**Fozz Planet Fixed Downlight**  
sku 180825

GX53 fixed downlight with reflector  
in white, IP64, glass fronted splash  
proof fitting

**Dia** 150mm **Depth** 85mm

**Cut-out** 135mm

1 x 13W GX53 Hi Lite

warm white

(Megaman globe included)

**B**  
**Fozz Planet Fixed Downlight**  
sku 180826

GX53 fixed downlight with reflector  
in silver, IP64, glass fronted splash  
proof fitting

**Dia** 150mm **Depth** 85mm

**Cut-out** 135mm

1 x 13W GX53 Hi Lite

warm white

(Megaman globe included)



A

## Envirolux

Low energy lighting

A  
**Envirolux CNC Front Round  
Downlight**  
sku **160268**

low energy, low glare round  
downlight with CNC aluminium  
front and frosted glass.

**Dia** 107mm **Depth** 153mm  
**Cut-out** 88mm  
1 x 15W CFL ES  
(globe not included)




Also available:

**Envirolux CNC Front Round  
Downlight**  
sku **160269**

low energy, low glare round  
downlight with CNC aluminium  
front and frosted glass in white

**Dia** 107mm **Depth** 153mm  
**Cut-out** 88mm  
1 x 15W CFL ES  
(globe not included)



# Starlight Mini Downlight



A



B

## A Starlight Mini Downlight

sku **160860**

kit **160862\*** 1 light kit

kit **160864\*** 3 light kit

12V 20W mini downlight in white

**Dia** 35mm **Depth** 37mm

**Cut-out** 26mm

1 x 20W G4 MAX

\*Kits include Lucci TL060M electronic transformer & bi pin G4 12V globe

## B Starlight Mini Downlight

sku **160861**

kit **160863\*** 1 light kit

kit **160865\*** 3 light kit

12V 20W mini downlight in brushed chrome

**Dia** 35mm **Depth** 37mm

**Cut-out** 26mm

1 x 20W G4 MAX

\*Kits include Lucci TL060M electronic transformer & bi pin G4 12V globe

# EnviroLux Triton

## EnviroLux

Low energy lighting



A



B

## A Evirolux Triton

sku **170273**

low energy round downlight in white with frosted glass to reduce glare

**Dia** 150mm **Depth** 95mm

**Cut-out** 130mm

1 x 20W ES CFL Max  
(globe not included)

## B Evirolux Triton

sku **170274**

low energy round downlight in brushed chrome with frosted glass to reduce glare

**Dia** 150mm **Depth** 95mm

**Cut-out** 130mm

1 x 20W ES CFL Max  
(globe not included)

## Envirolux

Low energy lighting



A



B



C



D

**A**  
**Envirolux Neptune**  
sku 170277

low energy square downlight in white with frosted glass to reduce glare  
**L** 130mm **W** 130mm  
**Depth** 70mm  
**Cut-out** 115 x 115mm  
1 x 15W ES CFL Max  
(globe not included)

**B**  
**Envirolux Neptune**  
sku 170278

low energy square downlight in brushed chrome with frosted glass to reduce glare  
**L** 130mm **W** 130mm  
**Depth** 70mm  
**Cut-out** 115 x 115mm  
1 x 15W ES CFL Max  
(globe not included)

**C**  
**Envirolux Neptune**  
sku 170275

low energy round downlight in white with frosted glass to reduce glare  
**Dia** 150mm **Depth** 88mm  
**Cut-out** 135mm  
1 x 20W ES CFL Max  
(globe not included)

**D**  
**Envirolux Neptune**  
sku 170276

low energy round downlight in brushed chrome with frosted glass to reduce glare  
**Dia** 150mm **Depth** 88mm  
**Cut-out** 135mm  
1 x 20W ES CFL Max  
(globe not included)





**LEDlux**  
Super efficient lighting



**LEDlux Ribbon Light**

sku **170190** warm white  
sku **170191** cool white  
sku **170192** colour changing (pictured)

3 metre LED ribbon light with  
clear finish, IP65  
**L** 3000mm **W** 10mm

Also available:

**LEDlux Ribbon Light**

sku **170193** warm white  
sku **170194** cool white  
sku **170195** colour changing

6 metre LED ribbon light with  
clear finish, IP65  
**L** 6000mm **W** 10mm



Easy DIY installation with 3M direct stick mounting. Remote control provided with colour changing model average rated life: 25,000hr



A



B

**A**  
**Mett II**  
sku **190383**  
T5 mirror light in  
chrome with opal glass  
**H** 67mm **W** 610mm **Depth** 86mm  
1 x 14W Max  
(electronic ballast and  
cool white tubes included)

**B**  
**Mett II**  
sku **190384**  
T5 mirror light  
chrome with opal glass  
**H** 70mm **W** 997mm **Depth** 102mm  
1 x 21W Max  
(electronic ballast and  
cool white tubes included)





## Envirolux

Low energy lighting



A



B



C



D

**A**  
**Envirolux Linea**  
sku **180186**

1 light under shelf light with white frame  
**H** 43mm **W** 28mm **L** 345mm  
1 x 8W  
T5 fluorescent  
(cool white tube included complete with switch, mounting clips, plug and lead)

**B**  
**Envirolux Linea**  
sku **180187**

1 light under shelf light with white frame  
**H** 43mm **W** 28mm **L** 606mm  
1 x 14W  
T5 fluorescent  
(cool white tube included complete with switch, mounting clips, plug and lead)

**C**  
**Envirolux Linea**  
sku **180188**


1 light under shelf light with white frame  
**H** 43mm **W** 28mm **L** 905mm  
1 x 21W  
T5 fluorescent  
(cool white tube included complete with switch, mounting clips, plug and lead)

**D**  
**Envirolux Linea**  
sku **180189**


1 light under shelf light with white frame  
**H** 43mm **W** 28mm **L** 1205mm  
1 x 28W  
T5 fluorescent  
(cool white tube included complete with switch, mounting clips, plug and lead)

# Envirolux

Low energy lighting




A



B



C



D

**A**  
**Envirolux Dawn**  
sku **180060**

surface mount in white  
**H 50mm W 120mm L 917mm**  
2 x 21W  
T5 fluorescent  
(electronic ballast and cool white tubes included)

**B**  
**Envirolux Dawn**  
sku **180061**

surface mount in white  
**H 50mm W 120mm L 1217mm**  
2 x 28W  
T5 fluorescent  
(electronic ballast and cool white tubes included)

**C**  
**Envirolux Dawn**  
sku **180062**

surface mount in silver  
**H 50mm W 120mm L 917mm**  
2 x 21W  
T5 fluorescent  
(electronic ballast and cool white tubes included)

**D**  
**Envirolux Dawn**  
sku **180063**

surface mount in silver  
**H 50mm W 120mm L 1217mm**  
2 x 28W  
T5 fluorescent  
(electronic ballast and cool white tubes included)

# Edge



A  
**Edge**  
sku **190392**

T5 mirror light  
brushed chrome  
H 89mm W 1073mm  
Ext. 89mm  
1 x 21W  
T5 fluorescent  
(electronic ballast and Philips  
cool white tube included)

Also available:

**Edge**  
sku **190391**

T5 mirror light  
brushed chrome  
H 89mm W 775mm  
Ext. 79mm  
1 x 14W  
T5 Fluorescent  
(electronic ballast and Philips  
cool white tube included)



A



B

**A**  
**Silo II**  
sku **190387**  
mirror light in chrome with frosted glass  
**H** 38mm **W** 743mm  
**Ext.** 117mm  
1 x 14W  
T5 fluorescent  
(electronic ballast and Philips cool white tube included)

**B**  
**Silo II**  
sku **190388**  
mirror light in chrome with frosted glass  
**H** 38mm **W** 1048mm  
**Ext.** 117mm  
1 x 21W  
T5 fluorescent  
(electronic ballast and Philips cool white tube included)

# Horizo II

---



A



B

**A**  
**Horizo II**  
sku **190389**

mirror light in chrome  
with frosted diffuser  
**H** 38mm **W** 743mm  
**Ext.** 117mm  
1 x 14W  
T5 fluorescent  
(electronic ballast and Philips  
cool white tube included)

**B**  
**Horizo II**  
sku **190390**

mirror light in chrome  
with frosted diffuser  
**H** 38mm **W** 1048mm  
**Ext.** 117mm  
1 x 21W  
T5 fluorescent  
(electronic ballast and Philips  
cool white tube included)



A  
**Pell II**  
sku **190381**

mirror light in chrome  
**H** 60mm **W** 603mm  
**Depth** 64mm  
2 x 14W  
T5 fluroescent  
(electronic ballast and Philips  
cool white tube included)

Also available:  
**Pell II**  
sku **190382**

mirror light in chrome  
**H** 60mm **W** 908mm  
**Depth** 64mm  
2 x 21W  
T5 fluroescent  
(electronic ballast and Philips  
cool white tube included)



A



B

**A**  
**Envirolux Torquay**  
sku **190395**

1 x 14 Watt adjustable low energy  
mirror light in silver with acrylic shade  
**L** 606mm **W** 82mm **H** 45mm  
1 x 14W  
T5 fluorescent  
(electronic ballast and cool white  
tubes included)

**B**  
**Envirolux Torquay**  
sku **190396**

1 x 21 Watt adjustable low energy  
mirror light silver with acrylic shade  
**L** 906mm **W** 82mm **H** 45mm  
1 x 21W  
T5 fluorescent  
(electronic ballast and cool white  
tubes included)



A

**A**  
**Kio**  
sku **190115**

2 light mirror light in  
polished chrome  
with frosted glass  
**H** 50mm **W** 290mm  
**Depth** 70mm  
2 x 40W G9 Max  
(globes included)



B

**B**  
**Kio**  
sku **190116**

4 light mirror light in  
polished chrome  
with frosted glass  
**H** 50mm **W** 660mm  
**Depth** 70mm  
4 x 40W G9 Max  
(globes included)

## Sintra



**Sintra**  
sku **190117**

3 light mirror light in  
polished chrome & crystal  
**H** 110mm **W** 640mm **Depth** 100mm  
3 x 40W G9 Max  
(globes included)

# Envirolux Sayama

A

## Envirolux Sayama

sku 190393

1 light medium wall bracket/mirror light in aluminium and silver with clear and frosted glass

H 120mm W 590mm Ext. 65mm

1 x 14W

T5 fluorescent

4000K cool white fluorescent

(electronic ballast and Philips

cool white tube included)

Also available:

## Envirolux Sayama

sku 190394

1 light large wall bracket/mirror light in aluminium and silver with clear and frosted glass

H 120mm W 890mm

Ext. 65mm

1 x 21W

T5 fluorescent


4000K cool white fluorescent

(electronic ballast and Philips

cool white tube included)

Also available:

matching pendants, floor lamp and table lamp



A


**Envirolux**  
Low energy lighting




A



B



C



D

**A**  
**Palmera**  
sku **190107**

1 light mirror light in chrome with opal frosted glass, IP44  
**H 280mm Ext. 125mm**  
1 x 40W SES Max  
(globe not included)

**B**  
**Palmera**  
sku **190108**

1 light mirror light in brushed chrome with opal frosted glass, IP44  
**H 280mm Ext. 125mm**  
1 x 40W SES Max  
(globe not included)

**C**  
**Palmera**  
sku **190109**

2 light mirror light in chrome with opal frosted glass, IP44  
**L 535mm Ext. 110mm**  
2 x 40W SES Max  
(globes not included)

**D**  
**Palmera**  
sku **190110**

2 light mirror light in brushed chrome with opal frosted glass, IP44  
**L 535mm Ext. 110mm**  
2 x 40W SES Max  
(globes not included)

## Envirolux Aura

# Envirolux

Low energy lighting



**Envirolux Aura**  
sku 180177

1 light up light in brushed  
chrome

**H** 60mm **W** 300mm

**Ext.** 158mm

1 x 18W PL

(electronic ballast and Philips  
cool white bulb included)

## Envirolux Radia

# Envirolux

Low energy lighting



**Envirolux Radia**  
sku 180178

2 light up/down  
light in brushed chrome

**H** 143mm **W** 240mm

**Ext.** 53mm

2 x 18W PL

(electronic ballast and Philips  
cool white bulb included)

**FOZZ**<sup>®</sup>  
ENERGY SAVING LIGHTING

A

**Fozz Arko**  
sku 180872

1 light low energy wall lamp in  
matt silver with frosted glass, IP64  
**Depth** 54mm **Dia** 118mm  
1 x 9W GX53 4000k,  
(Megaman 15,000 hour CFL included)

B

**Fozz Lyx**  
sku 180875

1 light low energy wall lamp with  
eyelid in matt silver  
with frosted glass, IP64  
**Depth** 61mm **Dia** 118mm  
1 x 9W GX53 4000k,  
(Megaman 15,000 hour CFL included)



A



B

Splash



**Splash**  
sku 190400

Ceiling/wall light in  
brushed chrome with opal  
glass, IP54  
**Dia** 115mm **H** 93mm  
1 x 9W GX53  
(globe not included)

## Venus II



**Venus II**  
sku 300217

1 light 30cm wall sconce in silver with frosted glass

**Dia** 300mm  
1 x 60W ES  
(globe not included)

## Mars II



**Mars II**  
sku 300218

1 light 30cm wall sconce in brushed chrome with frosted glass

**Dia** 300mm  
1 x 60W ES  
(globe not included)



**Wave**  
sku 300800

1 light wall sconce in brushed chrome and frosted glass  
**H** 340mm **W** 190mm  
1 x 100W J78  
(globe included)



**Delta**  
sku 300805

1 light wall sconce in brushed chrome with frosted glass  
**H** 127mm **W** 240mm  
**Ext.** 158mm  
1 x 100W J78  
(globe included)



A

**A**  
**Sekta**  
sku **300179**

1 light wall sconce in brushed chrome with opal frosted glass  
**H** 300mm **W** 110mm  
1 x 20W BC Max (for BCA)  
(globe not included)



B

**B**  
**Sky**  
sku **300840**

1 light wall sconce in brushed chrome with opal frosted glass  
**H** 450mm **W** 125mm  
**Ext.** 65mm  
1 x 20W BC Max (for BCA)  
(globe not included)



C

**C**  
**Dansk**  
sku **300845**

2 light wall sconce in brushed chrome with opal frosted glass  
**H** 650mm **W** 170mm  
**Ext.** 85mm  
2 x 20W G9 Max (for BCA)  
(globes not included)



## Contact

sku **220357**

2 light wall bracket in aluminum, IPX3

**H** 220mm **W** 67mm

**Ext.** 105mm

1 x 11W GZ10 CFL Max  
(globes not included)

# Visor



## Visor

sku **300170**

1 light halogen wall sconce in satin chrome with frosted glass

**H** 300mm **W** 70mm

1 x 100W J78

(globe included)

# Thermalite / Thermalite Deluxe



A



B



C



D

**A**  
**Thermalite**  
sku 200030

bathroom 3 in 1  
light, fan & heater in white  
H 178mm L 322mm W 322mm  
Cut-out L 290mm W 290mm  
4 x 275W heat globe  
1 x 100W R80  
(globes included)  
air extraction value: 174m<sup>3</sup>/h

**B**  
**Thermalite**  
sku 200031

bathroom 3 in 1  
light, fan & heater in silver  
H 178mm L 322mm W 322mm  
Cut-out L 290mm W 290mm  
4 x 275W heat globe  
1 x 100W R80  
(globes included)  
air extraction value: 174m<sup>3</sup>/h

**C**  
**Thermalite Deluxe**  
sku 200032

bathroom 3 in 1  
light, fan & heater in white  
H 178mm L 322mm W 322mm  
Cut-out L 290mm W 290mm  
4 x 275W heat globe  
1 x 100W R80  
(globes included)  
air extraction value: 174m<sup>3</sup>/h

**D**  
**Thermalite Deluxe**  
sku 200033

bathroom 3 in 1  
light, fan & heater in silver  
H 178mm L 322mm W 322mm  
Cut-out L 290mm W 290mm  
4 x 275W heat globe  
1 x 100W R80  
(globes included)  
air extraction value: 174m<sup>3</sup>/h



A




B

**A**  
**Thermalite**  
sku **200027**

bathroom 3 in 1 light,  
fan & heater in silver  
**H** 178mm **L** 378mm **W** 220mm  
**Cut-out L** 345mm **W** 190mm  
2 x 275W heat globe  
1 x 60W R63  
(globes included)  
air extraction value: 88m<sup>3</sup>/h

**B**  
**Thermalite**  
sku **200026**

bathroom 3 in 1 light,  
fan & heater in white  
**H** 178mm **L** 378mm **W** 220mm  
**Cut-out L** 345mm **W** 190mm  
2 x 275W heat globe  
1 x 60W R63  
(globes included)  
air extraction value: 88m<sup>3</sup>/h



A



B

**A**  
**Project**  
sku **200250**  
  
square exhaust fan in  
stainless steel  
**L** 250mm **W** 250mm  
**Cut - out** 210mm x 210mm  
30W motor rating

**B**  
**Project**  
sku **200251**  
  
square exhaust fan in  
stainless steel  
**L** 300mm **W** 300mm  
**Cut - out** 250mm x 250mm  
35W motor rating



A



B



C



D

**A**  
**Hellar**  
sku 200240

250mm round fan and light in white with frost glass  
**H** 10mm **Dia** 250mm  
**Depth** 170mm  
240 Volt T5 22W  
air extraction value: 150m<sup>3</sup>/h

**B**  
**Hellar**  
sku 200241

250mm round fan and light in silver with frost glass  
**H** 10mm **Dia** 250mm  
**Depth** 170mm  
240V T5 22W  
air extraction value: 150m<sup>3</sup>/h

**C**  
**Hellar**  
sku 200242

250mm square fan and light in white with frost glass  
**H** 10mm **W** 250mm **L** 250mm  
**Depth** 165mm  
240V T5 22W  
air extraction value: 150m<sup>3</sup>/h

**D**  
**Hellar**  
sku 200243

250mm square fan and light in silver with frost glass  
**H** 10mm **W** 250mm **L** 250mm  
**Depth** 165mm  
240 volt T5 22W  
air extraction value: 150m<sup>3</sup>/h

