



# *Beacon*

Exteriors edition 2008/09

[www.beaconlighting.com.au](http://www.beaconlighting.com.au)

*Beacon*  
LIGHTING

## Enter the outdoor oasis

From the smallest courtyards and petite balconies to expansive and rambling gardens, we all treasure our outdoor space and the freedom it allows. Which is why we've put together a collection of traditional and contemporary lighting solutions perfect for creating warmth, space and intimate shadows or for entertaining long after the sun goes down.

So take your time, be inspired and let Beacon Lighting help transform your outdoor area into an outdoor oasis.

# Contents



4 - 7	Sentinel range
8 - 11	Architectural Range
12 - 15	Pathway Lighting
16 - 19	LED & Solar
20 - 21	Security range
22 - 25	Traditional Exteriors
26 - 27	Bunkers



**Sentinel** 12Volt\* or 240Volt 50 Watt wall spot in 304 or 316 stainless steel and black. D 152mm Dia 76mm



**Sentinel**  
12Volt\* 50 Watt  
step light in  
stainless steel  
and black  
D 108mm  
Dia 89mm



**Sentinel** 240Volt GU10 35Watt downlight wall bracket in stainless steel or matt black. H 125mm Dia 76mm



**Sentinel** 240Volt 50 Watt 3 light bar spot available in 304 grade stainless steel and 316 grade stainless steel.



**Sentinel** 12Volt\* 50 Watt in ground light in stainless steel. D 86mm Dia 89mm



**Sentinel** DIY 12Volt 10Watt bollard 3 light kit in stainless steel complete with 12 metre cable, transformer and globes.  
H 260mm Dia 52mm



**Sentinel** 1 light 65cm exterior bollard in stainless steel.  
H 260mm Dia 52mm

\* Transformer required

## Be flexible

Sentinel series is constructed from high grade stainless steel, offering great protection against the harsh Australian climate – suitable for near seaside applications.

**Sentinel** 240Volt 2 x GU10  
35Watt up-downlight wall bracket  
in stainless steel or matt black.  
**H** 180mm **Dia** 76mm

**Sentinel** 12Volt\* 50 Watt spike  
spot in stainless steel. **H** 254mm  
**Dia** 64mm

Sentinel Range

# Be entertaining

**Sentinel** 12Volt 65cm1 light exterior post in stainless steel complete.

H 650mm Dia 105mm

Sentinel 316 marine grade stainless steel will stand up against the harshest seaside applications.\*



**Sentinel** 12Volt\* 50 Watt 1 light down spot wall bracket in 316 grade stainless steel.

H 80mm Dia 80mm



**Sentinel** 12Volt 50 Watt 1 light down spot wall bracket in 316 grade stainless steel. Transformer included in back plate. Great for areas where mains voltage is available. H 80mm Dia 80mm

\* Transformer required



**Sentinel** 12Volt\* 50 Watt 2 light up-down spot wall bracket in 316 grade stainless steel. H 145mm Dia 80mm



**Sentinel** Square 12Volt\* 1 or 2 light exterior spot in silver or black.  
Head H 74mm W 63mm sq All D 170mm



**Tri** 12Volt\* 1 light exterior down wall spot in silver or black.  
H 130mm  
W 63mm  
D 140mm

**Tri** 12Volt\* 2 light exterior adjustable up-down wall spot in silver or black.  
H 130mm  
W 63mm  
D 170mm



**Sentinel** 12Volt 50 Watt 2 light up-down spot wall bracket in 316 grade stainless steel. Transformer included in back plate. Great for areas where mains voltage is available.  
H 145mm Dia 80mm



**Sentinel** Square 12Volt\* exterior spike spot in silver or black.  
Head H 74mm  
W 63mm sq  
All D 254mm



**Riga** 240Volt GU10 50 Watt down wall bracket in stainless steel or black.  
H 140mm  
Dia 80mm



**Riga** 240Volt 2xGU10 50 Watt up down wall bracket in stainless steel or black.  
H 200mm  
Dia 80mm



**Sentry** 11 Watt GU10 2 light low energy exterior up and down wall light in stainless steel

W 76mm E 105mm H 205mm



**Sentry** 9 Watt GX53 2 light low energy exterior up and down wall light in stainless steel

W 88mm E 115mm H 157mm



**Skype** up and down exterior wall light

75 Watt GU10 in stainless steel

W 110mm D 110mm H 260mm



**Sentry** 11 Watt GU10 1 light low energy exterior adjustable wall spot in stainless steel

W 76mm E 105mm H 145mm



**Sentry** 9 Watt GX53 1 light low energy exterior adjustable wall spot in stainless steel

W 88mm E 115mm H 110mm



**Sentry** 11 Watt GU10 1 light low energy exterior down wall light in stainless steel

W 76mm E 105mm H 145mm



**Sentry** 9 Watt GX53 1 light low energy exterior down wall light in stainless steel

W 88mm E 115mm H 80mm



**Orion** 1 light low energy exterior wall bracket 11 Watt GU10 in charcoal finish

W 110mm D 110mm H 153mm

Architectural Range

**Orion** 2 light low energy exterior wall bracket  
11 Watt GU10 in charcoal finish  
W 110mm D 110mm H 260mm

**Be** impressive



Architectural Range

Be natural



**Mustang**

Square halogen beam lights in charcoal or silver with 2 sets of wide or narrow reflector lenses to allow you to adjust the lighting effect. (Shown left).

H 80mm W 80mm D 152mm



**Concord**

1 light exterior wall sconce, available in charcoal, silver or beige.

H 257mm W 215mm D 110mm



**Glider**

1 light exterior wall sconce, available in charcoal, silver or beige.

H 120mm W 250mm D 135mm



**Trigo** 1 light 100 Watt exterior wall bracket in stainless steel or black.

H 320mm W 300mm D 160mm



**Lancelot** wall sconce in 304 or 316 stainless steel, black or copper. H 260mm W 235mm D 95mm

H 260mm W 235mm D 95mm



**Cliff** 1 light 50 Watt or low energy CFL exterior wall sconce in 304 and 316 grade stainless steel. H 160mm W 155mm

H 160mm W 155mm



**Galahad** wall sconce in 304 or 316 stainless steel, copper or black.

H 260mm W 235mm D 95mm



### **Urbane**

1 light exterior wall sconce in 304 or 316 grade stainless steel. larger size also available.

H 286mm W 120mm D 125mm



**Hannibal** wall sconce in stone finish or black.

H 260mm W 235mm D 95mm



## Cronulla Range



**Cronulla**  
small path light  
in stainless steel.  
Available as 12Volt or  
240Volt fluorescent.  
H 410mm  
W 100mm



**Cronulla**  
large path light  
in stainless steel.  
Available as 12Volt or  
240Volt fluorescent.  
H 410mm  
W 100mm



**Cronulla**  
240Volt  
fluorescent  
wall bracket in  
stainless steel.  
H 470mm  
W 80mm



**Cronulla**  
small path light in  
stone. Available  
as 12Volt or 240Volt  
fluorescent.  
H 410mm  
W 100mm



**Cronulla**  
large path  
light in stone.  
Available as  
12Volt or 240Volt  
fluorescent.  
H 410mm  
W 100mm



**Cronulla**  
240Volt  
fluorescent wall  
bracket in  
stone.  
H 470mm  
W 80mm

## Polycarb II Range 60mm base to suit post and 60mm 1.8m post also available.

**Polycarb II** opal sphere path light.  
Available in 200mm, 250mm 300mm,  
400mm or 200mm wall bracket.



**Polycarb II** smoke sphere path light.  
Available in 200mm, 250mm, 300mm,  
400mm or 200mm wall bracket.





Be safe



**Cronulla** large path light  
in stainless steel.  
H 710mm W 100mm



**Nightscape**

12Volt down step light available in silver,  
powder-coated black or brushed chrome.  
H 90mm W 95mm D 70mm



**Nightscape**

12Volt square foot light available in silver,  
powder-coated black or brushed chrome.  
H 90mm W 95mm D 40mm

## Bronte Range

### Bronte

240 Volt 11Watt  
low energy 1 light  
wall bracket in  
stainless steel.  
H 220mm  
W 160mm  
D 160mm



### Bronte

240 Volt 11Watt  
low energy 1 light  
65cm path light in  
stainless steel. Also  
available as 12Volt.  
H 650mm  
E 160mm  
(shown right)



**Be** inviting



## Fairhaven Range



### Fairhaven

1 light wall bracket in stainless steel. H 340mm W 110mm D 180mm



### Fairhaven

1 light small path light in stainless steel. H 450mm W 120mm



### Fairhaven

1 light large path light in stainless steel. H 1010mm W 120mm



### Fairhaven

1 light louvre wall bracket in stainless steel. Also available with sensor H 340mm W 110mm D 180mm



### Fairhaven

1 light small louvre path light in stainless steel. H 450mm W 120mm



### Fairhaven

1 light large louvre path light in stainless steel. H 1010mm W 120mm

## LED Range



**Twilight range** Decklight LED kits in stainless steel. Available in white or blue. Complete with transformer and cable. 70mm 2 piece kit or 32mm 4 piece kit.

**10 light colour changing kit** with controller. Fade through thousands of colours or pause on the colour of your choice.



# Be outdoor





**LED Maxi** square drive over ground light in 304 grade stainless steel.  
H 10mm above ground Dia 130 mm



**LED Maxi** round drive over ground light in 304 grade stainless steel.  
H 10mm above ground Dia 130 mm



**LED Short aluminium** wall light.  
H 135mm W 90mm D 90mm

LED range  
30,000 hour



**LED Mini** rectangle steplight in 304 grade stainless steel.  
H 45mm W 110mm D 55mm



**LED Mini** square louvre steplight in 304 grade stainless steel.  
H 70mm W 70mm D 55mm

**LED 240 volt LED wall and ground light series.** Super energy efficient, great for areas where lights are left on for extended periods of time. Suitable for outdoor or indoor applications.



**LED Maxi** rectangle louvre steplight in 304 grade stainless steel.  
H 70mm W 170mm D 90mm



**LED Maxi** square steplight in 304 grade stainless steel.  
H 110mm W 110mm D 90mm



**LED Tall aluminium** wall light.  
H 230mm W 90mm D 90mm



**Envirolux LED Bollard** 2 Watt small path light in stainless steel

**Dia** 46mm **H** 425mm

**Envirolux LED Acrylic Bollard** 2 Watt path light in stainless steel

**Dia** 38mm **H** 463mm

**Envirolux LED Spike Spot** 2 Watt path spot in stainless steel

**Dia** 43mm **H** 220mm



# Be welcoming

## Save Energy with Envirolux

### LED KIT


Illuminate your garden and reduce your energy consumption with our exclusive Envirolux energy saving LED Kits. You can custom make your own KIT to suit the size and style of your garden by choosing any Envirolux products marked with **KIT**. And the best part is you can easily install it yourself, saving you time and money.



**Envirolux LED Deck Light** 2 Watt energy saving deck light in stainless steel available in round or square

round - **H** 83mm **Dia** 62mm

square - **H** 110mm **Dia** 62mm



### Envirolux LED Step Spot

2 Watt step spot in stainless steel

**Dia** 62mm **H** 110mm



### Envirolux LED Wiring Kit

10 meter cable in either 3 or 6 light configuration, makes installing the Envirolux LED kit an easy task for the home handy person. Transformer sold separately.




**Envirolux Solar Delux LED** 0.6 Watt  
2 light LED solar path light in stainless  
steel  
H 525mm Dia 190mm



**Envirolux Solar** 0.6 Watt 1 light LED  
solar path light in stainless steel  
H 345mm Dia 125mm



**Envirolux Ace** 9 Watt GX53 240 Volt low  
energy in-ground spot in stainless steel  
Depth 73mm Dia 120mm



**Envirolux Solar LED Bollard** 0.6 Watt  
1light solar bollard in stainless steel  
W 50mm L 54mm H 700mm



**Project Solar LED Spot** 0.6 Watt  
1light solar spot in brushed chrome  
W 95mm L 145mm H 318mm



**Envirolux Pilot** low energy exterior up-  
down light available in silver or charcoal  
1lt - L 220mm W 120mm H 90mm  
2lt - L 297mm W 115mm H 170mm

Security Range

Be secure



**Apollo**

150 Watt halogen flood light in stainless steel.

H 112mm W 160mm  
Ext 235mm



**Apollo**

150 Watt halogen flood light in stainless steel with sensor.

H 112mm W 160mm  
Ext 235mm



**Apollo**

300 Watt halogen flood light in stainless steel also available with sensor.

H 135mm W 200mm  
Ext 275mm



**Alert** single 100 Watt halogen spotlight without sensor in black, white, silver or beige. H 110mm W 110mm D 175mm



**Alert** single 100 Watt halogen spotlight with sensor in black, white, silver or beige. H 150mm W 110mm W 175mm



**Alert** 2 Light spotlight in beige, silver, black or white. H 150mm W 270mm W 175mm



**Alert** 2 Light security spotlight in silver, black, white or beige. H 150mm W 270mm W 175mm



**Conic** 150 Watt flood light in silver, white or black. Dia 170mm L 265mm



**Alert** 1000 Watt sensor only in white or black.



**Typhoon** ceiling fan available in 122cm, 132cm & 142cm in 316 grade stainless steel. Fan light sold separately.

**Traditional Range**



**Wright**  
1 light street lamp in bronze finish.  
H 2500mm W 178mm



**Wright**  
1 light large exterior wall bracket  
in bronze finish.  
H 451mm W 254mm



**Wright**  
1 light medium exterior wall  
bracket in bronze finish.  
H 318mm W 178mm



**Be** illuminated



**Villa**

2 light street lamp in antique gold finish.

H 2240mm W 220mm D 220mm



**Vila**

2 light large exterior wall bracket in antique brass finish.

H 605mm W 220mm D 330mm



**Vila**

1 light medium exterior wall bracket in antique gold finish.

H 465mm W 170mm D 255mm



**Pixie**

1 light street lamp in dark bronze finish.

H 2250mm W 275mm D 275mm



**Pixie**

1 light large exterior wall bracket in dark bronze finish.

H 495mm W 230mm D 290mm



**Pixie**

1 light medium exterior wall bracket in dark bronze finish.

H 395mm W 190mm D 240mm



**Alcazar** 4 light exterior street lamp in antique brass finish.  
H 2400mm W 370mm D 370mm



**Alcazar** 1 light large exterior wall bracket in antique brass finish.  
H 635mm W 300mm D 370mm



**Dubrovnik** 1 light small pillar mount in black. Also available 3lt street lamp.  
H 500mm W 170mm D 150mm



**Napels** 1 light exterior wall sconce in black.  
H 365mm W 255mm D 125mm



**Alcazar** 1 light medium exterior wall bracket in antique brass finish.  
H 390mm W 210mm D 290mm



**Dubrovnik** 1 light small up exterior wall bracket in black. Also available down wall bracket  
H 500mm W 170mm D 245mm



**Lima** 1 light exterior wall bracket in black. Also available down exterior wall bracket & pillar mount  
H 330mm W 150mm D 205mm



**Nottingham** small exterior wall bracket in black white, beige or green. ES 100 Watt  
H 450mm W 220mm D 220mm



**Nottingham** small under eave in black, white, beige or green.  
H 390mm W 220mm D 220mm



**Lancaster** cast wall bracket in white, beige, green or black. Also available under eave.  
H 390mm W 190mm D 160mm



**Castile** under eave cast light in white, beige, green or black.  
H 240mm W 180mm



**Zagreb** 1 light small pillar mount in black.  
H 515mm W 205mm D 205mm



**Zagreb** 1 light up exterior wall bracket in black. Also available down wall bracket & street lamp  
H 515mm W 205mm D 285mm



**Zagreb** 1 light up exterior wall bracket in black. Also available down wall bracket & street lamp  
H 515mm W 205mm D 285mm




**Castile** exterior lantern in white, beige, green or black.  
H 400mm W 180mm D 235mm

## Bunkers



**Round** bunker plain 60Watt in brushed chrome. D 92mm Dia: 184mm



**Round** bunker grille 60Watt in brushed chrome. D 92mm Dia: 184mm



**Round** bunker eyelid 60Watt in brushed chrome. D 92mm Dia: 184mm

**Round** vito bunker plain 60Watt in brushed chrome.  
D 76mm  
Dia 270mm



**Round** vito bunker grille 60Watt in brushed chrome.  
D 76mm  
Dia 270mm



**Cove** 1 light halogen exterior eyelid bunker in 304 or 316 grade stainless steel.  
H 145mm W 56mm also available in large H 205mm W 95mm



**Cove** 1 light halogen exterior bunker in 304 or 316 grade stainless steel.  
H 145mm W 56mm also available in large H 205mm W 95mm

STAINLESS  
STEEL AND  
COPPER  
SUITABLE FOR  
ALL SEASIDE  
APPLICATIONS



**Cove** 1 light louvre bunker in 304 or 316 grade stainless steel or copper.  
H 117mm W 145mm



**Rap** oval or round IP44 eyelid bunker in white or black. Polycarbonate frame with glass diffuser. H 190mm W 290mm



**Airy** Oval IP44 bunker in white, black or silver. Polycarbonate frame with glass diffuser. H 175mm W 280mm



**Kombi** Oval IP65 bunker in silver, white or black. Polycarbonate frame and diffuser. H 190mm W 280mm



**Step** Rectangle IP44 bunker in black, white or silver. Polycarbonate frame with glass diffuser. H 160mm W 210mm



**Airy** Eyelid IP44 bunker with eyelid grille in black, white or silver. Polycarbonate frame with glass diffuser. H 175mm W 280mm




**Kombi** Round IP65 bunker in black, white or silver. Polycarbonate frame and diffuser. H 190mm W 260mm

**Security** Homes that have adequate exterior lighting are a deterrent for thieves. Burglars are more likely to target homes with no or poor outdoor lighting. Adequate lighting around the home can significantly reduce the risk of accidents.

**Welcoming** A well designed lighting format will direct and welcome visitors to your home. Pathlights are great to highlight walkways so your guests can easily see their way in the dark.

**Outdoor Entertaining.** Australians love the outdoors, use light to entertain at night and create an ambient garden setting. Spot lights can be used to highlight garden features such as trees, statues or waterfalls, creating atmosphere in your garden.

**Installation** is easy and most of the garden lighting available in the Beacon Lighting range can be installed by the home handy person.



# Tips for Outdoor Lighting

1. Highlight special features in your garden using spot lights, this works exceptionally well when directed from the ground upwards. However ensure that the beam of light isn't impeded to the focal points otherwise this will create distracting spots of reflected light.
2. Don't overdue it, often less is more. Shadows can work really well to define lit areas, the contrast between light and dark adds a more dramatic effect at night rather than a flood lit area.
3. If you live in a coastal location it's recommended that you purchase outdoor lighting that is either 304 or 316 marine grade stainless steel. This is due to its resistance to the elements and durability.

# Safety and Caring for Outdoor Lighting

To keep everything in good working order and safeguard your family, friends and pets here are some simple tips.

- Never use indoor lights for outdoor applications this will avoid any potential electrical issues.
- Clean exposed outdoor bulbs every 3 months.
- Check cords and electrical outlets at the same time that you clean your bulbs to ensure that everything is working efficiently and effectively.
- If you have fittings that are 304 or 316 marine grade stainless steel, ensure that all fittings are treated before installation with a neutral oil such as WD40. Once your fittings are installed, remove any blotches or stains with a soft cloth soaked in neutral oil. Repeat this process up to 4 times a year to maintain superior quality and finish

For professional advice on a lighting plan for your outdoor area, arrange an In-Home Lighting Consultation with one of Beacon Lightings accredited lighting consultants.

[www.beaconlighting.com.au](http://www.beaconlighting.com.au)

Call 131 595 for a store near you

## Victoria

Abbotsford	(03) 8415 1200
Ballarat	(03) 5339 3266
Chirnside Park	(03) 9727 2444
Cranbourne	(03) 5995 8688
Essendon	(03) 9374 4022
Fountain Gate	(03) 9705 8222
Frankston	(03) 9783 8011
Geelong	(03) 5278 6223
Hawthorn	(03) 9882 7855
Heidelberg	(03) 9459 2211
Hoppers Crossing	(03) 9748 3400
Moorabbin	(03) 9576 5900
Nunawading	(03) 9878 5666
Oakleigh	(03) 9563 1494
Scoresby	(03) 9764 0699
St. Kilda	(03) 9534 3222
Sunshine	(03) 9312 7712
Thomastown	(03) 9464 6800
Watergardens	(03) 9390 4611
Waurin Ponds	(03) 5241 8900

## ACT

Fyshwick	(02) 6280 7633
----------	----------------

## New South Wales

Albury - Wodonga	(02) 6023 4333
Belrose	(02) 9986 3030
Castle Hill	(02) 9899 6444
Crossroads	(02) 9734 9640
Gosford West	(02) 4325 6460
Hornsby	(02) 9489 3222
Kotara	(02) 4965 5331
Lake Haven	(02) 4392 1444
Parramatta	(02) 9630 5442
Penrith	(02) 4733 5922
Shellharbour	(02) 4256 0688
Taren Point	(02) 9526 1699

## Western Australia

Cannington	(08) 9356 6422
Clarkson	(08) 9408 5445
Joondalup	(08) 9300 1711
Mandurah	(08) 9581 7455
Midland	(08) 9250 1966
Myaree	(08) 9329 9300
Osborne Park	(08) 9443 2664

## South Australia

Mile End	(08) 8351 8789
----------	----------------

## Queensland

Burleigh	(07) 5520 4839
Cairns	(07) 4033 0700
Cannon Hill	(07) 3395 8400
Capalaba	(07) 3390 2587
Carseldine	(07) 3261 3600
Hervey Bay	(07) 4194 1022
Jindalee	(07) 3376 0999
Macgregor	(07) 3349 5100
Maroochydore	(07) 5479 0411
Morayfield	(07) 5428 7066
Noosa	(07) 5447 1099
Rockhampton	(07) 4926 9750
Southport	(07) 5539 6668
Townsville	(07) 4779 9009
Underwood	(07) 3841 2000
Windsor	(07) 3861 1644

## Northern Territory

Darwin	(08) 8985 1533
--------	----------------

## Tasmania

Moonah	(03) 6272 2055
--------	----------------

Franchise opportunities available. Phone (03) 9569 0911



Call 131 595 for a store near you

[www.beaconlighting.com.au](http://www.beaconlighting.com.au)

All items available at time of printing. Some lines may not be available at all stores.