

Beacon

Low Energy edition 2008/09



Energy Saving Lighting


It's time to be active and be green. With an increased awareness on the damage that inefficient energy usage causes our environment, the general community is doing everything possible to reduce the amount of power they use.

The latest trend in lighting is to have innovative products that are both beautifully designed and save energy. Beacon lighting has developed an extensive range of low energy products including modern spotlights, downlights, exteriors, bathroom lights and more.

Energy saving lighting is a simple way you can do your bit for the environment and save money at the same time. So make the switch today for a greener tomorrow.



Contents



4 - 6	Flush Mounts
7 - 9	Downlights
8 - 10	Spotlights
11	Battens
12 - 13	Bathroom
14 - 19	Exteriors
18 - 21	LED & Solar
22 - 23	Globes

Flush Mounts



Envirolux Aruma brushed aluminium flush fitting with electronic ballast available in 22 Watt, 32 Watt & 40 Watt T5

H 280mm W 280mm **Depth** 95mm

H 360mm W 360mm **Depth** 95mm

H 420mm W 420mm **Depth** 95mm



Image T5 22 Watt fluorescent flush fitting brushed chrome

H 65mm W 295mm L 295mm

also available in 32 Watt

H 65mm W 385mm L 385mm



Image T5 22 Watt fluorescent flush fitting antique brass

H 65mm W 385mm L 385mm

also available in 32 Watt

H 65mm W 385mm L 385mm



Image T5 22 Watt fluorescent flush fitting chrome

H 65mm W 385mm L 385mm

also available in 32 Watt

H 65mm W 385mm L 385mm



Arco T8 22 Watt flush fitting in brushed chrome

Dia 340mm



Arco T8 32 Watt flush fitting in brushed chrome

Dia 400mm



Astro T8 32 Watt flush fitting in brushed chrome

Dia 410mm



Prima T5 22 Watt flush fitting with energy saving electronic ballast

Depth 65mm **Dia** 290mm



Prima T5 32 Watt flush fitting with energy saving electronic ballast

Depth 65mm **Dia** 350mm



Prima T5 40 Watt flush fitting with energy saving electronic ballast

Depth 65mm **Dia** 415mm



Odeon T5 22 Watt opal flush fitting

Depth 90mm **Dia** 290mm



Odeon T5 32 Watt opal flush fitting

Depth 100mm **Dia** 380mm



Odeon T5 40 Watt opal flush fitting

Depth 110mm **Dia** 480mm

Flush Mounts



Saturn T5 flush fitting with energy saving electronic ballast 22 Watt or 32 Watt, available in brushed chrome with opal glass

Depth 65mm **Dia** 295mm

Depth 65mm **Dia** 360mm

COOL
WHITE TUBE
INCLUDED

ALABASTER
GLASS



Project T8 32 Watt flush fitting available in chrome

Depth 120mm **Dia** 400mm



Project T8 32 Watt flush fitting available in antique brass

Depth 120mm **Dia** 400mm



Project T8 32 Watt flush fitting available in white

Depth 120mm **Dia** 400mm



Project T8 32 Watt flush fitting available in brushed chrome

Depth 120mm **Dia** 400mm



Project T8 32 Watt flush fitting available in gold

Depth 120mm **Dia** 400mm

Downlights



CNC Envirolux Surface Mount 11 Watt
GU10 CFL in aluminium with opal glass
Depth 90mm W 100mm L 100mm



CNC Envirolux Surface Mount 15 Watt
R80 CFL in aluminium with opal glass
Depth 140mm W 130mm L 130mm



CNC Envirolux Surface Mount 23 Watt
PAR 38 CFL in aluminium with opal glass
Depth 170mm W 175mm L 175mm



Low Energy twist front fixed downlight
complete with 11 Watt GU10 CFL downlight
in white
Depth 105mm Dia 80mm



Low Energy twist front fixed downlight
complete with 11 Watt GU10 CFL downlight
in brass
Depth 105mm Dia 80mm



Low Energy twist front fixed downlight
complete with 11 Watt GU10 CFL downlight
in brushed chrome
Depth 105mm Dia 80mm



Low Energy twist front gimble (moveable)
downlight complete with 11 Watt GU10 CFL
downlight in white
Depth 105mm Dia 100mm



Low Energy twist front gimble (moveable)
downlight complete with 11 Watt GU10 CFL
downlight in brass
Depth 105mm Dia 100mm



Low Energy twist front gimble (moveable)
downlight complete with 11 Watt GU10 CFL
downlight in brushed chrome
Depth 105mm Dia 100mm

Downlights & Spots



PROJECT



R080 Downlight 5" 15 Watt R80 CFL
downlight available in brushed chrome
complete with globe
Depth 127mm Dia 124mm

R080 Downlight 5" 15 Watt R80 CFL
downlight available in white complete with
globe
Depth 127mm Dia 124mm

Envirolux Shine 11 Watt GU10 CFL
downlight in silver or white
Depth 140mm Dia 60mm

Envirolux
Low energy lighting



Obelisk

Envirolux
Low energy lighting

Envirolux CNC GU10 low glare downlight in
aluminium available in square or round
square - **L 128mm W 128mm H 65mm**
round - **H 65mm Dia 127mm**



Obelisk 9 Watt or 13 Watt GX53 low energy spotlight in brushed
chrome with frosted glass
1lt - H 95mm L 95mm
2lt - 2 x 13w - H 110mm L 335mm
3lt - 3 x 13w - H 110mm L 585mm
4lt - 4 x 13w - H 110mm L 835mm



FOZZ[®]

ENERGY SAVING LIGHTING



Profil 9 Watt GX53 low energy spotlight in brushed chrome complete with 15000 hour megaman globes

1lt - H 140mm L 115mm

2lt - 2 x 9w - H 185mm L 385mm

3lt - 3 x 9w - H 185mm L 660mm

4lt - 4 x 9w - H 185mm L 850mm



Yuki 9 Watt GX53 low energy wall light with switch in brushed chrome complete with 15000 hour megaman globe

H 80mm L 375mm



FoZZ Vog Fixed 11 Watt GU10 fixed downlight available in white, chrome & brushed chrome, complete with 15000 hour megaman globe

Depth 110mm Dia 80mm



FoZZ Vog Gimble 11 Watt GU10 fixed downlight available in white, chrome & brushed chrome, complete with 15000 hour megaman globe

Depth 110mm Dia 80mm



FoZZ Opera 9 Watt GU10 IP64 sealed downlight available in white, chrome & brushed chrome, complete with 15000 hour megaman globe

Depth 110mm Dia 100mm



FoZZ Stil Fixed 9 Watt GX53 fixed downlight available in white, chrome & brushed chrome, complete with 15000 hour megaman globe

Depth 55mm Dia 112mm



FoZZ Planet Fixed 13 Watt GX53 IP64 waterproof downlight available in white, & silver, complete with 15000 hour megaman globe

Depth 85mm Dia 150mm

Vue Range



Vue 11 Watt GU10 CFL low energy spotlight in brushed chrome (globes not included)

1 light - H 172mm W 70mm L 190mm

2 light - H 172mm W 70mm L 455mm

3 light - H 172mm W 70mm L 765mm

4 light - H 172mm W 70mm L 1325mm

6 light - H 172mm W 70mm L 2030mm



Vision 11 Watt GU10 CFL low energy spotlight in aluminium finish (globes not included)

1 light - H 140mm W 100mm L 100mm

2 light - H 140mm W 75mm L 480mm

3 light - H 140mm W 75mm L 820mm

4 light - H 140mm W 75mm L 1220mm


6 light - H 140mm W 75mm L 1930mm



Vision 11 Watt GU10 CFL low energy drop spotlight in aluminium finish (globe not included)

H 140mm W 100mm L 100mm

Vision Range






1 Light Budget HPF Bare Batten Fluorescent

available in 18 Watt & 36 Watt (tube included) H 90mm W 55mm L 620mm



1 Light Prismatic HPF Batten Fluorescent

available in 18 Watt & 36 Watt (tube included) H 90mm W 55mm L 620mm



1 Light Sat Opal HPF Batten Fluorescent

available in 18 Watt & 36 Watt (tube included) H 90mm W 55mm L 620mm



2 Light Budget HPF Batten Fluorescent

available in 18 Watt & 36 Watt (tube included) H 90mm W 55mm L 620mm



2 Light Prismatic HPF Batten Fluorescent

available in 18 Watt & 36 Watt (tube included) H 90mm W 55mm L 620mm



2 Light Sat Opal HPF Batten Fluorescent

available in 18 Watt & 36 Watt (tube included) H 90mm W 55mm L 620mm



Envirolux Linea available in 8 Watt H 43mm W 28mm L 345mm



Envirolux Linea available in 14 Watt H 43mm W 28mm L 606mm



Envirolux Linea available in 21 Watt H 43mm W 28mm L 905mm



Envirolux Linea available in 28 Watt H 43mm W 28mm L 1205mm



Bathroom Lighting



Mett II T5 fluorescent mirror light with electronic ballast available in chrome 14 Watt and 21 Watt (Philips cool white tube included)

14w - H 67mm W 610mm **Depth** 86mm

21w - H 70mm W 997mm **Depth** 102mm



Pell II T5 fluorescent mirror light with electronic ballast available in chrome 14 Watt and 21 Watt (Philips cool white tube included)

2 x 14w - H 60mm W 603mm **Depth** 64mm

2 x 21w - H 60mm W 908mm **Depth** 64mm



Silo II T5 fluorescent mirror light with electronic ballast available in chrome and frost 14 Watt and 21 Watt (Philips cool white tube included)

14w - H 38mm W 743mm **Depth** 117mm

21w - H 38mm W 1048mm **Depth** 117mm



Be fresh





Horizon II T5 fluorescent mirror light with electronic ballast available in silver and frost 14 Watt and 21 Watt (Philips cool white tube included)

14w - H 38mm W 743mm Depth 117mm

21w - H 38mm W 1048mm Depth 117mm



Edge T5 fluorescent mirror light with electronic ballast available in brushed chrome 14 Watt and 21 Watt (Philips cool white tube included)

14w - H 89mm W 775mm Depth 79mm

21w - H 89mm W 1073mm Depth 89mm



Splash 9 Watt GX53 fully sealed energy saving downlight or wall light available in brushed chrome

H 93mm Dia 115mm



COOL
WHITE TUBE
INCLUDED

Be natural

Exteriors



Cronulla

small path light in stainless steel. Available as 12Volt or 240Volt fluorescent.

H 410mm W 100mm



Cronulla

large path light in stainless steel. Available as 12Volt or 240Volt fluorescent.

H 410mm W 100mm



Cronulla

240Volt fluorescent wall bracket in stainless steel.

H 470mm W 80mm



Cronulla

small path light in stone. Available as 12Volt or 240Volt fluorescent.

H 410mm W 100mm



Cronulla

large path light in stone. Available as 12Volt or 240Volt fluorescent.

H 410mm W 100mm



Cronulla

240Volt fluorescent wall bracket in stone.

H 470mm W 80mm



Be secure



Cronulla large path light
in stainless steel.
H 710mm W 100mm



Sentry 11 Watt GU10 2 light low energy exterior up and down wall light in stainless steel
W 76mm E 105mm H 205mm



Sentry 9 Watt GX53 2 light low energy exterior up and down wall light in stainless steel
W 88mm E 115mm H 157mm



Sentry 11 Watt GU10 1 light low energy exterior adjustable wall spot in stainless steel
W 76mm E 105mm H 145mm



Sentry 9 Watt GX53 1 light low energy exterior adjustable wall spot in stainless steel
W 88mm E 115mm H 110mm



Sentry 11 Watt GU10 1 light low energy exterior down wall light in stainless steel
W 76mm E 105mm H 145mm



Sentry 9 Watt GX53 1 light low energy exterior down wall light in stainless steel
W 88mm E 115mm H 80mm

Fairhaven Range



Fairhaven
1 light wall bracket in stainless steel. H 340mm W 110mm
D 180mm



Fairhaven 1 light louvre wall bracket in stainless steel. Also available with sensor
H 340mm W 110mm
D 180mm



Fairhaven
1 light small path light in stainless steel. H 450mm W 120mm



Fairhaven
1 light large path light in stainless steel. H 1010mm W 120mm



Fairhaven
1 light small louvre path light in stainless steel. H 450mm
W 120mm



Fairhaven
1 light large louvre path light in stainless steel.
H 1010mm W 120mm



FOZZ®

ENERGY SAVING LIGHTING

Fozz Low Energy Exteriors



Nevada 13 Watt GX53 round wall spot available in black & silver complete with 15000 hour megaman globe
H 223mm **W** 110mm



Louisiana 9 Watt GX53 wall bracket available in 1 light or 2 light in silver complete with 15000 hour megaman globe
1lt - **H** 108mm **W** 168mm **L** 132mm
2lt - **H** 180mm **W** 168mm **L** 132mm



Arko 9 Watt GX53 round wall light with frosted glass available in black, white & silver complete with 15000 hour megaman globe
Depth 54mm **Dia** 118mm



Lyx 9 Watt GX53 round wall lamp with frosted glass available in black, white & silver complete with 15000 hour megaman globe
Depth 61mm **Dia** 118mm



Nevada 13 Watt GX53 round path spot available in black & silver complete with 15000 hour megaman globe
H 700mm **W** 220mm



Envirolux LED Bollard 2 Watt small path light in stainless steel

Dia 46mm **H** 425mm

Envirolux LED Acrylic Bollard 2 Watt path light in stainless steel

Dia 38mm **H** 463mm

Envirolux LED Spike Spot 2 Watt path spot in stainless steel

Dia 43mm **H** 220mm



Be welcoming

Save Energy with Envirolux

LED KIT


Illuminate your garden and reduce your energy consumption with our exclusive Envirolux energy saving LED Kits. You can custom make your own KIT to suit the size and style of your garden by choosing any Envirolux products marked with **KIT**. And the best part is you can easily install it yourself, saving you time and money.



Envirolux LED Deck Light 2 Watt energy saving deck light in stainless steel available in round or square

round - **H** 83mm **Dia** 62mm

square - **H** 110mm **Dia** 62mm



Envirolux LED Step Spot

2 Watt step spot in stainless steel

Dia 62mm **H** 110mm



Envirolux LED Wiring Kit

10 meter cable in either 3 or 6 light configuration, makes installing the Envirolux LED kit an easy task for the home handy person. Transformer sold separately.




Envirolux Solar Delux LED 0.6 Watt
2 light LED solar path light in stainless
steel
H 525mm Dia 190mm



Envirolux Solar 0.6 Watt 1 light LED
solar path light in stainless steel
H 345mm Dia 125mm



Envirolux Ace 9 Watt GX53 240 Volt low
energy in-ground spot in stainless steel
Depth 73mm Dia 120mm



Envirolux Solar LED Bollard 0.6 Watt
1light solar bollard in stainless steel
W 50mm L 54mm H 700mm



Project Solar LED Spot 0.6 Watt
1light solar spot in brushed chrome
W 95mm L 145mm H 318mm



Envirolux Pilot low energy exterior up-
down light available in silver or charcoal
1lt - L 220mm W 120mm H 90mm
2lt - L 297mm W 115mm H 170mm

LED Range



Twilight range Decklight LED kits in stainless steel. Available in white or blue. Complete with transformer and cable. 70mm 2 piece kit or 32mm 4 piece kit.

10 light colour changing kit with controller. Fade through thousands of colours or pause on the colour of your choice.



Be outdoors





LED Maxi square drive over ground light in 304 grade stainless steel.
H 10mm above ground Dia 130 mm



LED Maxi round drive over ground light in 304 grade stainless steel.
H 10mm above ground Dia 130 mm



LED Short aluminium wall light.
H 135mm W 90mm D 90mm

LED range
30,000 hour



LED Mini rectangle steplight in 304 grade stainless steel.
H 45mm W 110mm D 55mm



LED Mini square louvre steplight in 304 grade stainless steel.
H 70mm W 70mm D 55mm

LED 240 volt LED wall and ground light series. Super energy efficient, great for areas where lights are left on for extended periods of time. Suitable for outdoor or indoor applications.



LED Maxi rectangle louvre steplight in 304 grade stainless steel.
H 70mm W 170mm D 90mm



LED Maxi square steplight in 304 grade stainless steel.
H 110mm W 110mm D 90mm



LED Tall aluminium wall light.
H 230mm W 90mm D 90mm

Globes

Envirolux

Low energy lighting



Envirolux 9 Watt or 11 Watt GU10 8,000 hour globe available in warm white & cool white



Envirolux 7 Watt Candle 8,000 hour globe available SBC, SES, BC & ES in warm white or cool white



Envirolux 7 Watt Fancy Round 8,000 hour globe available SBC, SES, BC & ES in warm white or cool white



Envirolux 15 Watt R80 8,000 hour globe available in warm white & cool white



Envirolux 8,000 hour CFL available in 7 Watt, 9 Watt, 11 Watt, 15 Watt & 20 Watt, BC or ES in warm white or cool white



Envirolux 15,000 hour CFL available in 9 Watt & 15 Watt, BC or ES in warm white or cool white



Envirolux 9 Watt GX53 8,000 hour globe available in warm white & cool white

Globes

MEGAMAN[®]
Energy Saving Lamps



Megaman 9 Watt GU10 15,000 hour globe
available in warm white & cool white



Megaman 11 Watt GU10 15,000 hour globe
available in warm white & cool white



Megaman 13 Watt R63 15,000 hour globe
available in warm white



Megaman 15 Watt R80 15,000 hour globe
available in warm white



Megaman 20 Watt PAR38 10,000 hour globe
available in warm white



Megaman Palmlite underbench light
(frame only) silver
Depth 25mm Dia 83mm



Megaman Palmlite underbench light
(frame only) white
Depth 25mm Dia 83mm



Megaman Palmlite underbench light
(frame only) chrome
Depth 25mm Dia 83mm

This catalogue showcases our low energy range including modern spotlight, downlights, exteriors and bathroom lights; however there are many more ways you can save energy in your home, including using ceiling fans to regulate your household temperature. Ceiling fans are very energy efficient costing around 1cent per hour to run*. Plus there are many pendants and lamps in our range which can easily be fitted with energy saving globes. For a total low energy lighting solution see our expert consultants at one of our 60 Beacon Lighting stores.



*the calculations on costs are approximate and may vary on the fan size and use of the ceiling fan

Why should I use energy saving lighting?

1. Save \$\$\$ on your power bills

Although CFLs cost more to purchase, this is outweighed by the fact that they use around **a fifth of the electricity used by an ordinary light globe** – saving on your power bills. For example, over a period of 15 years your power bill for a normal 50W halogen (GU10) globe will be \$112.50, where as a energy efficient CFL will cost just \$20.25.

2. Saves you time

Energy saving CFLs also **last for many years** ranging from 5000hrs (5 yrs) to 15,000hrs (15 yrs) – saving you the hassle and inconvenience of having to buy and replace your globes yearly.

3. Helps save the environment

Energy saving lighting helps **cut greenhouse gas emissions** which are harmful to the environment.

* The calculations, costs and savings above are approximate only, and based on an average costs of power (15c/kWh hr) and globes as at March 2008. Variations will occur due to current and future varying costs of power, cost of globes, varying quality of globes and therefore expected lamp life together with the extent and type of usage.

Lighting tips to save energy

Use these tips to help reduce your household lighting:

- Replace incandescent bulbs with CFLs, especially in rooms where lights are on for long periods
- Use the lowest wattage bulb required to meet each room's lighting needs
- Turn off the lights of unoccupied rooms
- Turn outside lights off when you're not using them
- Consider using timers and sensors for outdoor lights
- Regularly dust your low energy light bulbs and fittings
- Make the most of natural light. Open curtains and blinds during daylight hours
- When you're wiring up your home, allocate one switch per light rather than turning on multiple lights with the one switch
- Use two-way switching in rooms with two exits to ensure lights are turned off when leaving the room
- Use table or floor lamps fitted with CFLs where most light is required so that you don't light unoccupied areas of the room
- Choose light fittings that allow most of the light through so a lower wattage lamp can be used. Some light fittings can block 50% or more of the light, especially those with coloured glass



www.beaconlighting.com.au

Call 131 595 for a store near you

Victoria

Abbotsford	(03) 8415 1200
Ballarat	(03) 5339 3266
Chirnside Park	(03) 9727 2444
Cranbourne	(03) 5995 8688
Essendon	(03) 9374 4022
Fountain Gate	(03) 9705 8222
Frankston	(03) 9783 8011
Geelong	(03) 5278 6223
Hawthorn	(03) 9882 7855
Heidelberg	(03) 9459 2211
Hoppers Crossing	(03) 9748 3400
Moorabbin	(03) 9576 5900
Nunawading	(03) 9878 5666
Oakleigh	(03) 9563 1494
Scoresby	(03) 9764 0699
St. Kilda	(03) 9534 3222
Sunshine	(03) 9312 7712
Thomastown	(03) 9464 6800
Watergardens	(03) 9390 4611
Waurin Ponds	(03) 5241 8900
ACT	
Fyshwick	(02) 6280 7633

New South Wales

Albury - Wodonga	(02) 6023 4333
Belrose	(02) 9986 3030
Castle Hill	(02) 9899 6444
Crossroads	(02) 9734 9640
Gosford West	(02) 4325 6460
Hornsby	(02) 9489 3222
Kotara	(02) 4965 5331
Lake Haven	(02) 4392 1444
Parramatta	(02) 9630 5442
Penrith	(02) 4733 5922
Shellharbour	(02) 4256 0688
Taren Point	(02) 9526 1699

Western Australia

Cannington	(08) 9356 6422
Clarkson	(08) 9408 5445
Joondalup	(08) 9300 1711
Mandurah	(08) 9581 7455
Midland	(08) 9250 1966
Myaree	(08) 9329 9300
Osborne Park	(08) 9443 2664

South Australia

Mile End	(08) 8351 8789
----------	----------------

Queensland

Burleigh	(07) 5520 4839
Cairns	(07) 4033 0700
Cannon Hill	(07) 3395 8400
Capalaba	(07) 3390 2587
Carseldine	(07) 3261 3600
Hervey Bay	(07) 4194 1022
Jindalee	(07) 3376 0999
Macgregor	(07) 3349 5100
Maroochydore	(07) 5479 0411
Morayfield	(07) 5428 7066
Noosa	(07) 5447 1099
Rockhampton	(07) 4926 9750
Southport	(07) 5539 6668
Townsville	(07) 4779 9009
Underwood	(07) 3841 2000
Windsor	(07) 3861 1644
Northern Territory	
Darwin	(08) 8985 1533
Tasmania	
Moonah	(03) 6272 2055

Franchise opportunities available. Phone (03) 9569 0911



Call 131 595 for a store near you

www.beaconlighting.com.au

All items available at time of printing. Some lines may not be available at all stores.