

ALFRED 1 LIGHT GLASS PENDANT

SKU# 039104, 039108, 039109 Rated Voltage 220-240V~ 50Hz

Thank you for purchasing this quality Lucci product. To ensure correct function and safety, please read and follow all instructions carefully before assembly, installation and use of this product. Please keep instructions for future reference.

Warranty

- This luminaire is covered by a 12 month warranty. The warranty is from date of purchase, not the date of installation.
- If the luminaire is not assembled and installed by a licensed electrician the warranty will be void.
- Please retain proof of purchase and evidence of installation by a licensed electrician.
- Warranty will be void if there is any damage due to improper usage or modification to the luminaire.
- Failure to comply with the instructions in this manual may increase the risk of damage or injury and will void warranty.

Installation requirements

- Must be assembled and installed by a licensed electrician.
- All wiring and installation of the luminaire must adhere to latest local and national wiring rules.
 eg. AS/NZS 3000 Electrical installations.
- Do not exceed the maximum wattage rating.
- Select a suitable location for installation:
 - This product is suitable for indoor use only.
 - The mounting point must support 2 times the weight of the luminaire.
 - Ensure the luminaire is not installed in direct line of an air vent/system.
 - If installing a luminaire in an area prone to moisture, ensure that the area is well ventilated and an appropriately rated exhaust fan is used if required. Damage or corrosion caused by moisture is not a product fault, and as such is not covered under warranty.
- Take care not to pull any electrical wires during unpacking as this may damage the connection.
- Lay out all the components on a smooth surface and make sure there are no components missing before assembling.
 If parts are missing, return the complete product to the place of purchase for inspection or replacement.
- Check whether the luminaire has been damaged during transport. Do not operate/install any product which appears
 damaged in any way. Return the complete product to the place of purchase for inspection, repair or replacement.
- Ensure power to the circuit you are working on has been switched OFF before commencing any electrical work.

Installation directions

- 1. Remove all packaging material from the product and be careful not to throw away accessories that may be hidden within the packaging material. To help with assembly, lay the luminaire on its side on a smooth non scratch surface.
- 2. Determine the length of the suspension rod required for your installation location.
- 3. Install the required length of suspension rods (L, K, J, I) onto the body (M) of the fitting. Pull the cord (H) out as you assemble, to remove any slack. Take care not to cross thread or twist and damage the cord (H).
- 4. Pull the cord up into the canopy (G) and attach the canopy (G) to the top of the suspension rod.
- 5. Use the mounting bracket (B) as a template to mark the position of the holes onto the ceiling.
- 6. Drill holes into the ceiling and place the plastic anchors (A) into the holes. Secure the mounting bracket (G) onto the ceiling with the screws (C) provided. Ensure the screws (C) and anchors (A) used are suitable for the mounting surface and the surrounding environment.
- 7. Connect the mains supply wire to the terminal block (D) provided. Ensure that the wires are secure and no bare wires are exposed.



Mains Supply Wire

Luminaire Wire / Terminal block

Earth - Yellow/Green

Yellow/Green or 🖶


Neutral – Blue or Black

Blue or N

Live – Brown or Red


Brown or L

- 8. Install the canopy (G) onto the mounting bracket (B) and secure by tightening the screws (F).
- 9. Install the shade (O) onto the lamp holder (N) then secure by the lamp holder ring (P).
- 10. Install a globe (Q not included) into the lamp holder (N). Do not exceed the maximum wattage rating.
- 11. After the installation, switch on the luminaire to test and enjoy your new lighting product.





NOTE: When adjusting the shade, do not adjust more than 30° as this may damage the wiring.



Safety tips

- Always ensure the power is OFF and the luminaire has cooled down before performing any maintenance, cleaning, changing the globe or making any adjustment to the luminaire.
- To avoid injury or damage to the luminaire, ensure that power leads and screws are secure before connecting the power.
- Select a suitable location away from liquids and hazards.
- Ensure that the luminaire does not come in contact with corrosive chemicals/solvents or abrasive cleaners etc.
- To clean, wipe with a damp clean cloth. Do NOT soak or immerse the product in water or other liquids.

Specifications			
SKU#	039104	039108	039109
Colour	Chrome / Glass Shade	Matt Black / Glass Shade	Oil Rub Bronze / Glass Shade
Rated Voltage	220-240V~ 50Hz		
Rated Wattage	45 Max.		
Lamp Holder	ES / E27		
Weight	2.1kg		
Canopy size	H:24mm Dia:100mm		
Dimensions	H:310mm Dia:300mm Susp:1200mm		