

## STAND-OFF / SUSPENSION

SKU# 140784

To ensure correct function and safety, please read and follow all instructions carefully before assembly, installation and use of this product. Please keep instructions for future reference.

**NOTE: This installation instruction applies to the stand-off and suspension only.**

**The ribbon track, driver and luminaires are sold separately.**

### Warranty

- This product is covered by a 12-month warranty valid for in-store replacement or refund only.
- The warranty period starts from the date of purchase, not the date of installation.
- Please retain proof of purchase for any warranty enquiries.
- Warranty will be void if there is any damage due to improper usage or modification to the product.
- Failure to comply with the instructions in this manual may increase the risk of damage or injury and will void the warranty.

### Installation Requirements

- Select a suitable location for installation:
  - This product is suitable for indoor use only.
  - The mounting point must be a solid surface, such as concrete or a thick wooden structure. The tension on the ribbon track is 120kg (1177N).
  - The maximum mechanical loading for the ribbon track system, inclusive of the weight of luminaires and accessories is 9kg. Do not exceed this weight.
  - The ribbon track system is unsuitable for the connection of inductive loads.
  - It is the user's responsibility to ensure electrical, mechanical and thermal compatibility between the ribbon track system and luminaires attached to it.
- Lay out all the components on a smooth surface and make sure no components are missing before assembling. If parts are missing, return the complete product to the place of purchase for inspection or replacement.
- Check whether the product has been damaged during transport. Do not operate/install any product which appears damaged in any way. Return the complete product to the place of purchase for inspection, repair or replacement.


## Installation Directions for Stand-Off

- Remove all packaging material from the product and be careful not to throw away accessories that may be hidden within the packaging material.
- Select a suitable location for installation, see page 1 for the installation requirements.

**NOTE: It is recommended to install one for every 5m length of ribbon track.**

**So if the ribbon track length is between 5m-10m, two are recommended.**

1. Use the stand-off as a template to mark the screw hole positions on the mounting surface.  
Drill the installation hole into the mounting surface.  
Install the stand-off onto the mounting surface by using appropriately sized mounting screws and anchors.  
Ensure the screws and anchors used are suitable for the mounting surface and the surrounding environment.
2. Insert the ribbon track into the stand-off.  
Install the cover cap to secure the ribbon track.
3. After the installation is complete, check and ensure everything is secure and there are no loose components.




## Installation Directions for Suspension

- Remove all packaging material from the product and be careful not to throw away accessories that may be hidden within the packaging material.
- Select a suitable location for installation, see page 1 for the installation requirements.

**NOTE: It is recommended to install one for every 5m length of ribbon track.**

**So if the ribbon track length is between 5m-10m, two are recommended.**

1. Use the suspension bracket as a template to mark the screw hole position on the ceiling.  
Drill the installation hole into the mounting surface.  
Install the suspension bracket onto the mounting surface by using appropriately sized mounting screws and anchors.  
Ensure the screws and anchors used are suitable for the mounting surface and the surrounding environment.
2. Adjust the suspension length to your required height.
3. Install the suspension into the suspension bracket.
4. Install the screw through the stand-off.
5. Insert the ribbon track into the stand-off.  
Install the cover cap to secure the ribbon track.
6. Attach the stand-off onto the suspension.
7. After the installation is complete, check and ensure everything is secure and there are no loose components.



Safety Tips

- Always ensure the power is OFF and the product has cooled down before performing any maintenance, cleaning or adjustment.
- To avoid injury or damage to the product, ensure that power leads and screws are secure before connecting the power.
- To clean, wipe with a soft damp cloth. Do NOT soak or immerse the product in water or other liquids.
- Ensure that the product does not come in contact with corrosive chemicals/solvents or abrasive cleaners etc.

Specifications

SKU #	140784
Weight	75g
Dimensions	D:1.5mm L:2100mm