

## ASTON TABLE LAMP

SKU# 259185, 259186

Rated Voltage 5V  1A

To ensure correct function and safety, please read and follow all instructions carefully before assembly, installation and use of this luminaire. Please keep instructions for future reference.

### Warranty

- This portable luminaire is covered by a 3-year warranty valid for in-store replacement or refund only.
- The warranty period starts from the date of purchase. Please retain the proof of purchase.
- Warranty will be void if there is any damage due to improper usage or modification to the portable luminaire.
- Failure to comply with the instructions in this manual may increase the risk of damage or injury and will void the warranty.

### Installation Requirements



- Select a suitable location for the portable luminaire:
  - Ensure it is on a flat and stable surface.
  - This portable luminaire is suitable for indoor use only.
  - Do not place flammable material near or over the portable luminaire.
  - Ensure the portable luminaire is not installed in direct line of an air vent/system.
  - If the portable luminaire is placed in an area prone to moisture, ensure that the area is well ventilated, and an appropriately rated exhaust fan is used if required. Damage or corrosion caused by moisture is not a product fault, and as such is not covered under warranty.
- Only use the supplied plug-in LED driver with this portable luminaire.
- Take care not to pull any electrical wires during unpacking as this may damage the connection.
- Lay out all the components on a smooth surface and make sure no components are missing before assembling. If parts are missing, return the complete product to the place of purchase for inspection or replacement.
- Check whether the luminaire has been damaged during transport. Do not operate/install any product which appears damaged in any way. Return the complete product to the place of purchase for inspection, repair or replacement.
- Do not plug into the mains power socket outlet before or during assembly. Only do so after the portable luminaire is fully assembled and is ready to use for the first time.


### Installation Directions

1. Remove all packaging material from the portable luminaire.
2. Select a suitable location for the portable luminaire. See the installation requirements above.
3. Adjust the head to the desired height and angle.

**NOTE: Do not adjust the luminaire head up or down more than 90°, as this may damage the joint and the internal wires.**

4. Insert the plug-in LED driver into the base at the back of the portable luminaire.
5. Insert the plug-in LED driver into the mains power socket outlet and ensure it is fully plugged in.
6. Turn power on at the mains power socket outlet.
7. Short press the touch switch to change the colour temperature of the portable luminaire.
8. Long press the touch switch to adjust the brightness of the portable luminaire.





**NOTE: Do not adjust the luminaire head up or down more than 90°, as this may damage the joint and the internal wires.**

**Safety Tips**

- Always ensure the power is OFF and the portable luminaire has cooled down before performing any maintenance, cleaning or making any adjustment to the portable luminaire.
- The external flexible cable or cord of this luminaire cannot be replaced; if the cord is damaged, the luminaire shall be destroyed.
- The light source of this luminaire is not replaceable; when the light source reaches its end of life the whole luminaire shall be replaced. There are no serviceable parts, do not attempt to dismantle or open the luminaire.
- To avoid injury or damage to the luminaire, ensure that power leads and screws are secure before connecting the power.
- Young children should be supervised to ensure that they do not play with the portable luminaire.
- Handle the luminaire and shade with care to avoid any damage or breakage.
- Select a suitable location away from liquids and hazards.
- To clean, wipe with a soft damp cloth. Do NOT soak or immerse the product in water or other liquids.
- Ensure that the luminaire does not come in contact with corrosive chemicals/solvents or abrasive cleaners etc..

**Specifications**

SKU #	259185	259186
Colour	Black	White
Rated Voltage	5V  1A	
LED Specs	3000K - 400 lumens 5000K – 450 lumens 6000K – 450 lumens	3000K - 450 lumens 4000K – 500 lumens 6000K – 500 lumens
Weight	0.8kg	
Dimensions	H:367mm W:53mm L:347mm	