



BY MASSON

EXCLUSIVE
ARCHITECTURAL
COLLECTION



MFL BY MASSON

MFL By Masson is a collection of architecturally designed lighting solutions characterised by premium materials and superior construction. We invite you to discover these stylish fixtures created to suit a range of applications and add a designer touch to your space.

MFL BY MASSON

Our range

CLICK	6 - 21
DOWNLIGHTS	22 - 40
DIRECTIONAL	42 - 49
WALL & CEILING	50 - 65
OUTDOOR	66 - 73
ACCENT	74



MFL CLICK

Whether you're looking for the ultimate architectural look or you simply like the idea of flexibility, the **Click** range of downlights and accessories is the perfect combination of style and practicality.



Flexible lighting design.

Available with a classic trim for easy installation or upgrade to a trimless frame for a designer look.

Exceptional colour rendering.

With a CRI of 90 (close-to-natural light), the Click range offers superior quality light for your home.



Mix & match.


Our Click range is so adaptable that you can simply click in and out different products as your space evolves. Choose between a downlight, spotlight, pendant connector, sensor, ES globe and Wi-Fi camera. A downlight's not highlighting your art as well as you would have liked? Simply click it out and click in a new spotlight for a more directional look!

MFL CLICK

CLICK HERE TO VIEW & SHOP THE MFL CLICK RANGE ONLINE



Our innovative **classic trim** provides many possibilities



CUT

Cut out installation hole.

INSERT

Insert frame into cut-out.



CLICK

Click in a choice of ES globe, downlight, spotlight and more.

*All products come with classic trim.

With the majority of the range being plug and play ready, once the frames are installed, it's easy to simply click components in and out, redesigning your lighting layout as often as you like.

Upgrade to **trimless** for the ultimate designer look



CUT

Cut out installation hole.

INSERT

Insert and secure the frame by installing two screws through the ceiling. Adjust the ring so it is 1-2mm above the plaster level.

REFINE

Plaster, sand and paint.



CLICK

Click in a choice of ES globe, downlight, spotlight and more.

MFL CLICK

SMD Downlight

AVAILABLE IN

WARM WHITE

COOL WHITE



White

SKU: 177085/177086


Specifications

LED	11 watts
BEAM ANGLE	90°
FIELD ANGLE	160°
MAX LUMENS	700
DIMMABLE	Yes
COLOUR TEMP	3000K/4000K
IC RATING	IC-4
CRI	90
CUT-OUT SIZE	92mm
WARRANTY	5 years

Features


- Wide distribution of light
- Perfect for general purpose illumination
- Easy to install
- Flex and plug included
- Trimless frame available - see page 21
- Residential or commercial application
- IES files available

Dimensions



Light Distribution

Based on 3000K



Light Distribution Diagram

Height (m)	Diameter (m)	Illuminance (lux)
0.6	6.81	815.03
1.2	13.61	203.76
1.8	20.42	90.56
2.4	27.22	50.94
3	34.03	32.60

MFL CLICK

COB Downlight

AVAILABLE IN

WARM WHITE

COOL WHITE



White

SKU: 177087/177088


Specifications

LED	11 watts
BEAM ANGLE	35°
FIELD ANGLE	33°
MAX LUMENS	850
DIMMABLE	Yes
COLOUR TEMP	3000K/4000K
IC RATING	IC-4
CRI	90
CUT-OUT SIZE	92mm
WARRANTY	5 years

Features


- Narrow distribution of light
- Perfect for general purpose illumination or pooling of light
- Optimal anti-glare design
- Ideal for grouping in multiples over point of interest
- Easy to install
- Flex and plug included
- Trimless frame available - see page 21
- Residential or commercial application
- IES files available

Dimensions



Light Distribution

Based on 3000K



Light Distribution Diagram

Height (m)	Diameter (m)	Illuminance (lux)
0.6	0.62	6231.50
1.2	1.25	1557.87
1.8	1.87	692.39
2.4	2.50	389.47
3	3.12	249.26

MFL CLICK

Tube Light

AVAILABLE IN

WARM WHITE


COOL WHITE



White


SKU: 177080/177081

Dimensions



Light Distribution

Based on 3000K



Light Distribution Diagram @Field Angle		
0.6	1.65	1603.70
1.2	3.31	400.92
1.8	4.96	178.19
2.4	6.61	100.23
3	8.27	64.15
Height (m)	Diameter(m)	Illuminance (lux)

Specifications

LED	10 watts
BEAM ANGLE	70°
FIELD ANGLE	110°
MAX LUMENS	700
DIMMABLE	Yes
COLOUR TEMP	3000K/4000K
IC RATING	IC
CRI	> 90
CUT-OUT SIZE	92mm
WARRANTY	5 years

Features

- Adjustable 360° rotation and telescopic design
- Perfect for highlighting art or points of interest
- Architecturally designed
- Flex and plug included
- Residential or commercial application
- Trimless frame available - see page 21
- Flex and plug included
- IES files available

MFL BY MASSON

MFL CLICK

Wall Washer

AVAILABLE IN

WARM WHITE


COOL WHITE



White

SKU: 177082/177083

Dimensions



Specifications


LED	10 watts
BEAM ANGLE	75°
FIELD ANGLE	135°
MAX LUMENS	700
DIMMABLE	Yes
COLOUR TEMP	3000K/4000K
IC RATING	IC-4
CRI	> 90
CUT-OUT SIZE	92mm
WARRANTY	5 years

Features

- Low glare
- Asymmetrical beam
- Great for lighting art
- Architecturally designed
- Easy to install
- Flex and plug included
- Trimless frame available - see page 21
- Residential or commercial application
- IES files available

Light Distribution

Based on 3000K



Light Distribution Diagram @Field Angle		
0.6	2.86	870.02
1.2	5.72	217.51
1.8	8.59	96.67
2.4	11.45	54.38
3	14.31	34.80
Height (m)	Diameter(m)	Illuminance (lux)

MFL CLICK

COB Spotlight

AVAILABLE IN

WARM WHITE

COOL WHITE



White

SKU: 177089/177090


Specifications

LED	12 watts
BEAM ANGLE	40°
FIELD ANGLE	70°
MAX LUMENS	700
DIMMABLE	Yes
COLOUR TEMP	3000K/4000K
IC RATING	IC-4
CRI	90
CUT-OUT SIZE	92mm
WARRANTY	5 years

Features


- 40° distribution of light
- Perfect for highlighting art or points of interest
- Adjustable 360° rotation and telescopic design
- Optimal anti-glare design
- Easy to install
- Flex and plug included
- Trimless frame available - see page 21
- Residential or commercial application
- IES files available

Dimensions



Light Distribution

Based on 3000K



Light Distribution Diagram		
0.6	0.84	3851.17
1.2	1.68	962.79
1.8	2.52	427.91
2.4	3.36	240.70
3	4.20	154.05
Height (m)	Diameter (m)	Illuminance (lux)



Telescopic Design



MFL CLICK

GU10 Downlight




White

SKU: 177096



Dimensions



Specifications

SOCKET	GU10
MAX WATTAGE	10 watts
IC RATING	IC-4
CUT-OUT SIZE	92mm
HOLDER	Included
WARRANTY	5 years

Globe not included

Features

- Optimal anti-glare design
- Smart GU10 compatible
- Dimmable GU10 compatible
- Easy to install
- Flex and plug included
- Trimless frame available - see page 21
- Residential or commercial application
- IES files available

MFL CLICK

ES Lamp Holder




White

SKU: 177095



Dimensions



Specifications

SOCKET	ES
MAX WATTAGE	45 watts
IC RATING	IC-4
CUT-OUT SIZE	92mm
WARRANTY	5 years

Globe not included

Features

- Exposed ES globe socket allows for multiple creative uses
- Use with a decorative globe to create an eye-catching statement
- Easy to install
- Flex and plug included
- Trimless frame available - see page 21
- Residential or commercial application
- IES files available

MFL CLICK


Full Sensor



White

SKU: 177093

Dimensions



Specifications

IP RATING	IP20
LED LOAD	Max. 200W
FLUORESCENT LOAD	Max. 400W
INCANDESCENT LOAD	Max. 800W
DETECTION ANGLE	360°
DETECTION DISTANCE	6m
AMBIENT LIGHT	<3-2000Lux
TIME DELAY	Min. 10sec±3sec Min. 15min±3min
CUT-OUT SIZE	92mm
WARRANTY	1 year

Features

- Large area of detection coverage
- Suitable for laundries, toilets, entries and mud rooms
- Can be wired to any standard light fitting
- Uses PIR technology to ensure sensor is active whilst there is movement within its range
- Easy to install
- Trimless frame available - see page 21
- Residential or commercial application
- Override function to allow for manual override

MFL CLICK

Wi-Fi Camera




White

SKU: 177098



Dimensions



Specifications

PIXEL	1 megapixel
IR DISTANCE	10m
WDR	Digital Wide Dynamic Range
BIT RATE	32Kbps-2Mbps
MAX PICTURE SIZE	1280 x 720
FRAME RATE	1~25 per second
AUDIO	Two-way audio
STORAGE	Micro SD card (Max 128GB)
FREQUENCY	2.4Ghz~2.4835Ghz
Wi-Fi SECURITY	WPA-PSK/WPA2-PS
ADJUST ANGLE	Tilt:-10°~75° Pan:0°~355°
POWER	DC5V, 1A
CAMERA SIZE (MM)	63 x 58 x 96
CUT-OUT SIZE	92mm
WARRANTY	2 years

Features

- Smart Wi-Fi camera with 2-way audio
- Removable micro SD card
- Can be controlled via the Lucci Connect app

MFL CLICK


Pendant Connector



White

SKU: 177097

Dimensions



Specifications

CUT-OUT SIZE 90mm

WARRANTY 5 years

Note:

Want a seamless look for your pendant?
Click pendant adaptor can easily convert most
corded pendants from a bulky canopy, to a
sleek, minimalist mounting point. Combine with a
trimless frame for the ultimate disappearing act!



Features

- Architectural design
- Ideal for residential and commercial applications
- Simple to unify cut out size
- Multiple application either for Trim or Trimless
- Suitable for pendant application

MFL CLICK


Trimless Frame



Chrome

SKU: 177092

Dimensions



Specifications

WARRANTY 1 year

Features

- Refined architectural look
- Compatible with all Click products
- Easy to install
- Suitable for plaster ceilings
- 88mm cut-out

Note:

Upgrade any Click product to be trimless using our unique and simple-to-install trimless frame.
This frame allows for seamless integration into a plastered ceiling for the ultimate architectural finish.

Blank Kit



White


SKU: 177099

Specifications

CUT-OUT SIZE 92mm

WARRANTY 5 years

Dimensions



Note:

Click blanks not only allow for greater flexibility
and forward planning, but are also ideal for
creating access points for speaker cables, etc.



MFL
BY MASSON

downlights

Styling with downlights





POOLING

Pairing downlights closely creates intense pools of light, providing good contrast and light and dark effects.



ACCENTING

Placing downlights directly over a point of interest in a room creates contrast within the space. Ideal for task lighting and creating atmosphere.




WALL WASHING

Placing evenly spaced downlights along a wall provides a unique scalloped effect. Increase the distance from the wall for a lower starting point of light wash effect.

GENERAL

Evenly spacing downlights in a room provides multi-purpose, functional lighting. Often used for high-traffic common areas.



Whether you're creating intense pools of light or gently washing a wall of art, the MFL By Masson architectural collection of downlights provides innovative solutions.

VARIOUS BEAM ANGLE OPTIONS & APPLICATIONS



10° - 25°
Highlighting, contrasting and narrow scallop effect on walls.



26° - 45°
General areas, high ceilings and medium scallop effect on walls.



46° - 80°
Open spaces and wide scallop effect on walls. This is the closest likeness to a halogen downlight.



80° +
General lighting, large open spaces and even wall washing effect.



Accent Gimble

AVAILABLE IN

WARM WHITE

COOL WHITE

Available Colours



Brushed Chrome

SKU: 177652/177655



Black


SKU: 177651/177654



White

SKU: 177650/177653

Dimensions



Specifications


LED	12 watts
REFLECTOR	15° 38° 60°
MAX LUMENS	650
DIMMABLE	Yes
COLOUR TEMP	3000K/4000K
IC RATING	IC-4
CRI	90
CQS	90
GAI	101
CUT-OUT SIZE	82mm
WARRANTY	5 years

Features

- Architecturally designed
- Easy installation
- Flex and plug included
- 360° degree rotation with 18° degree gimble
- IC-4-covered and abutted insulation
- Matte textured paint finish
- 3 reflectors included
- IES files available

Light Distribution

Based on 60° reflector of 3000K



Height (m)	Diameter (m)	Illuminance (lux)
0.6	0.69	1888.36
1.2	1.39	472.09
1.8	2.08	209.82
2.4	2.77	118.02
3	3.46	75.53



Accent Pinhole

AVAILABLE IN

WARM WHITE

COOL WHITE

Available Colours



White


SKU: 177638/177640



Black

SKU: 177639/177641

Dimensions



Specifications


LED	12 watts
REFLECTOR	15° 38° 60°
MAX LUMENS	650
DIMMABLE	Yes
COLOUR TEMP	3000K/4000K
IC RATING	IC-4
CRI	90
CQS	90
GAI	101
CUT-OUT SIZE	82mm
WARRANTY	5 years

Features

- Architecturally designed
- Easy installation
- Flex and plug included
- Super low glare aperture
- Oval and round face plates included
- 360° degree rotation with 18° degree gimble
- IC-4-covered and abutted insulation
- Matte textured paint finish
- 3 reflectors included
- IES files available

Light Distribution

Based on 60° reflector of 3000K



Height (m)	Diameter (m)	Illuminance (lux)
0.6	0.69	1888.36
1.2	1.39	472.09
1.8	2.08	209.82
2.4	2.77	118.02
3	3.46	75.53



Accent Minitrim

AVAILABLE IN

WARM WHITE

COOL WHITE

Available Colours



White


SKU: 177630/177634



Black

SKU: 177631/177635

Dimensions



Specifications

LED	12 watts
REFLECTOR	15° 38° 60°
MAX LUMENS	650
DIMMABLE	Yes
COLOUR TEMP	3000K/4000K
IC RATING	IC-4
CRI	90
CQS	90
GAI	101
CUT-OUT SIZE	100mm
WARRANTY	5 years


Features

- Architecturally designed
- Easy to install
- Flex and plug included
- Low glare
- 18° tilt function
- IC-4-covered and abutted insulation
- Matte textured paint finish
- 3 reflectors included
- IES files available

MFL BY MASSON

Light Distribution

Based on 60° reflector of 3000K



Light Distribution Diagram		
@Beam angle: 60°		
0.6	0.69	1888.36
1.2	1.39	472.09
1.8	2.08	209.82
2.4	2.77	118.02
3	3.46	75.53
Height (m)	Diameter (m)	Illuminance (lux)



Accent Wall Washer

AVAILABLE IN

WARM WHITE

COOL WHITE

Available Colours



White


SKU: 177642/177646



Black

SKU: 177643/177647

Dimensions



Specifications


LED	12 watts
REFLECTOR	15° 38° 60°
MAX LUMENS	650
DIMMABLE	Yes
COLOUR TEMP	3000K/4000K
IC RATING	IC-4
CRI	90
CQS	90
GAI	101
CUT-OUT SIZE	100mm
WARRANTY	5 years

Features

- Architecturally designed
- Easy to install
- Flex and plug included
- Low glare
- 18° tilt function
- IC-4-covered and abutted insulation
- Matte textured paint finish
- 3 reflectors included
- IES files available

Light Distribution

Based on 60° reflector of 3000K



Light Distribution Diagram		
@Beam angle: 60°		
0.6	0.69	1888.36
1.2	1.39	472.09
1.8	2.08	209.82
2.4	2.77	118.02
3	3.46	75.53
Height (m)	Diameter (m)	Illuminance (lux)



Gypsum Deep Dish

Available Colours



White


SKU: 170862



Concrete

SKU: 170863

Dimensions



Specifications



LED	10 watts
REFLECTOR	36°
FIELD ANGLE	60°
MAX LUMENS	600
DIMMABLE	Yes
COLOUR TEMP	3000K
IC RATING	IC-4
CRI	91
CUT-OUT SIZE	85mm
WARRANTY	5 years

Features

- Made from gypsum concrete
- Surface mount detailed edge
- Architecturally designed
- Easy to install
- Flex and plug included
- Deep reflector to reduce the glare
- Fixed structure
- IC-4-covered and abutted insulation
- Optional decorative inserts provided
- IES files available

Light Distribution

Based on 60° reflector of 3000K



Gypsum

Available Colours



White

SKU: 177630/177634



Concrete

SKU: 177631/177635

Dimensions



Specifications



LED	10 watts
REFLECTOR	36°
FIELD ANGLE	60°
MAX LUMENS	600
DIMMABLE	Yes
COLOUR TEMP	3000K
IC RATING	IC-4
CRI	91
CUT-OUT SIZE	85mm
WARRANTY	5 years

Features

- Made from gypsum concrete
- Architecturally designed
- Easy to install
- Flex and plug included
- Deep reflector to reduce the glare
- Fixed structure
- IC-4-covered and abutted insulation
- Optional decorative inserts provided
- IES files available

Light Distribution

Based on 60° reflector of 3000K





Gypsum Surface

Available Finishes



Flat


SKU: 170864



Ribbed

SKU: 170865

Dimensions



Specifications

SOCKET	GU10
MAX WATTAGE	28 watts
GLOBE	Not included
WARRANTY	1 year

Features

- Smart GU10 compatible
- Compatible with long or short GU10
- Easy to install
- Suitable for solid ceilings
- Constructed from gypsum and aluminium



Pingo

Available Colours



White


SKU: 177020



Black

SKU: 177021

Dimensions



Specifications

SOCKET	GU10
MAX WATTAGE	35 watts
CUT-OUT SIZE	72mm
GLOBE	Not included
WARRANTY	5 years

Features

- Smart GU10 compatible
- Compatible with long or short GU10
- Easy to install
- Flex and plug included
- Recessed structure
- 72mm hole saw - standard fixed halogen hole



Fleming 1 Light



Black

SKU: 170880


Specifications

LED	3 watts
BEAM ANGLE	30°
FIELD ANGLE	50°
MAX LUMENS	150
DIMMABLE	Yes
COLOUR TEMP	3000K
IC RATING	IC-4
IP RATING	IP20
CRI	92
CUT-OUT SIZE	38 x 38mm
WARRANTY	3 years



Features

- Architecturally designed
- Ideal for residential and commercial applications
- Aluminium body
- Compact design
- IES files available

Dimensions



Light Distribution



Fleming 5 Light



Black

SKU: 170881


Specifications

LED	10 watts
BEAM ANGLE	30°
FIELD ANGLE	50°
MAX LUMENS	570
DIMMABLE	Yes
COLOUR TEMP	3000K
IC RATING	IC-4
IP RATING	IP20
CRI	92
CUT-OUT SIZE	138 x 38mm
WARRANTY	3 years



Features

- Architecturally designed
- Ideal for residential and commercial applications
- Aluminium body
- Compact design
- IES files available

Dimensions



Light Distribution






Fleming 10 Light

Dimensions



Black

SKU: 170882




Specifications

LED	20 watts
BEAM ANGLE	30°
FIELD ANGLE	50°
MAX LUMENS	1200
DIMMABLE	Yes
COLOUR TEMP	3000K
IC RATING	IC-4
IP RATING	IP20
CRI	92
CUT-OUT SIZE	270 x 38mm
WARRANTY	3 years

Features

- Architecturally designed
- Ideal for residential and commercial applications
- Aluminium body
- Compact design
- IES files available

Light Distribution



Height (m)	Diameter(m)	Illuminance (lux)
0.6	0.56	11994.83
1.2	1.12	1998.71
1.8	1.68	1332.76
2.4	2.24	749.68
3	2.80	479.79




Fleming 15 Light

Dimensions



Black

SKU: 170883




Specifications

LED	30 watts
BEAM ANGLE	30°
FIELD ANGLE	50°
MAX LUMENS	2000
DIMMABLE	Yes
COLOUR TEMP	3000K
IC RATING	IC-4
IP RATING	IP20
CRI	92
CUT-OUT SIZE	402 x 38mm
WARRANTY	3 years

Features

- Architecturally designed
- Ideal for residential and commercial applications
- Aluminium body
- Compact design
- IES files available

Light Distribution



Height (m)	Diameter(m)	Illuminance (lux)
0.6	0.56	17694.25
1.2	1.12	4491.06
1.8	1.68	1996.03
2.4	2.24	1122.77
3	2.80	718.57



Daytona Recessed

Available Colours



White


SKU: 177725



Black

SKU: 177726

Dimensions





Specifications

LED	10 watts
BEAM ANGLE	20°
FIELD ANGLE	45°
MAX LUMENS	550
DIMMABLE	Yes
COLOUR TEMP	3000K
IC RATING	IC-4
CRI	92
CUT-OUT SIZE	106mm x 46mm
WARRANTY	5 years

Features

- Beautiful oval shape
- Low glare
- Clean crisp edges
- Black with black baffle
- White with black baffle
- Easy to install
- Flex and plug included

Light Distribution



Daytona Surface

Available Colours



White


SKU: 177727



Black

SKU: 177728

Dimensions





Specifications

LED	7 watts
BEAM ANGLE	20°
FIELD ANGLE	45°
MAX LUMENS	400
DIMMABLE	Yes
COLOUR TEMP	3000K
CRI	92
WARRANTY	5 years

Features

- Beautiful oval shape
- Surface mounted
- Low glare
- Clean crisp edges
- Black with black baffle
- White with black baffle
- Easy to install

Light Distribution



Also available in adjustable
See page 46



BY MASSON

Mila

Available Colours



White Square

SKU: 177700



Black Square

SKU: 177701



White Round

SKU: 177702





Black Round

SKU: 177703

Specifications

SOCKET	GU10
MAX WATTAGE	7.5 watts
LED GLOBE	Included
WARRANTY	1 year

Dimensions



Features

- Designed and manufactured in Australia
- Smart GU10 compatible
- Matte textured paint finish
- Extruded aluminium body
- Surface mounted
- Ideal for residential, hospitality and commercial applications

MADE IN
AUSTRALIA

BY MASSON



MFL
BY MASSON

directional
lighting

MFL

BY MASSON

Titan**Available Colours**

White
SKU: 177010





Black
SKU: 177011

Specifications

LED	14 watts
REFLECTOR	20° 40°
MAX LUMENS	650
DIMMABLE	Yes
COLOUR TEMP	3000K
IC RATING	IC-4
CRI	> 80
CUT-OUT SIZE	80mm
WARRANTY	5 years

Features


- Adjustable 360° rotation and telescopic design
- 20° and 40° reflectors included in the box
- Ideal for residential and commercial applications
- Optimal anti-glare design
- Suitable for plastered ceilings
- Aluminium body
- Interchangeable liners in gold, silver and black included
- IES files available

Dimensions**Light Distribution**

Light Distribution Diagram		
	@Beam angle: 20°	
0.6	0.21	5086.58
1.2	0.42	1271.65
1.8	0.63	565.18
2.4	0.85	317.91
3	1.06	203.46
Height (m)	Diameter (m)	Illuminance (lux)

MFL

BY MASSON

Titan**Available Colours**

White
SKU: 177012





Black
SKU: 177013

Specifications

LED	12 watts
REFLECTOR	20° 40°
MAX LUMENS	700
DIMMABLE	Yes
COLOUR TEMP	3000K
IC RATING	IC-4
CUT-OUT SIZE	120mm
WARRANTY	5 years

Features

- Adjustable 360° rotation and telescopic design
- 20° and 40° reflectors included in the box
- Ideal for residential and commercial applications
- Optimal anti-glare design
- Suitable for plastered ceilings
- Aluminium body
- Interchangeable liners in gold, silver and black included
- IES files available

Dimensions**Light Distribution**

Light Distribution Diagram		
	@Beam angle: 20°	
0.6	0.21	5086.58
1.2	0.42	1271.65
1.8	0.63	565.18
2.4	0.85	317.91
3	1.06	203.46
Height (m)	Diameter (m)	Illuminance (lux)

MFL

BY MASSON

DIRECTIONAL

45

MFL

BY MASSON

Daytona**Available Colours**


White

SKU: 177729



Black


SKU: 177730

Dimensions**Specifications**

LED	11 watts
BEAM ANGLE	20°
FIELD ANGLE	45°
MAX LUMENS	600
DIMMABLE	Yes
COLOUR TEMP	3000K
CRI	90
WARRANTY	5 years

Features

- Surface mounted downlight or spotlight
- Great wall washer
- 90° tilt
- Architecturally designed
- Suitable for concrete ceilings
- Ideal for residential and commercial applications
- Aluminium body
- IES files available

Light Distribution

Light Distribution Diagram @Round Frame, Beam angle=40°		
0.6	0.44	1693.03
1.2	0.87	423.26
1.8	1.31	188.11
2.4	1.75	105.81
3	2.18	67.72
Height (m)	Diameter (m)	Illuminance (lux)



MFL
BY MASSON

Pluto

Available Colours



White

SKU: 157140



Black

SKU: 157141





Chrome

SKU: 157142

Dimensions



Light Distribution



Specifications

LED	4 watts
REFLECTOR	50°
FIELD ANGLE	80°
MAX LUMENS	260
DIMMABLE	Yes
COLOUR TEMP	3000K
IC RATING	IC-4
CRI	90
CUT-OUT SIZE	60mm
WARRANTY	3 years

Features

- Beautifully designed petite spotlight
- Recessed back plate
- Easy to instal
- Architecturally designed
- Ideal for residential and commercial applications
- IES files available

MFL
BY MASSON

Milan

Available Colours



White


SKU: 157071



Black

SKU: 157070

Dimensions




Specifications

LED	10.5 watts
MAX LUMENS	520
DIMMABLE	Yes
COLOUR TEMP	3000K
BEAM ANGLE	40°
CRI	93
RATED LIFE	30,000hrs
CUT-OUT SIZE	70mm
WARRANTY	3 years

Features

- Compact and minimal design
- Recessed back plate
- Hole size suitable to recess the driver

Light Distribution





MFL
BY MASSON

wall &
ceiling



Fleming




White

SKU: 020941

Black

SKU: 020940


Dimensions



Specifications

LED	39 watts
MAX LUMENS	2400
DIMMABLE	Yes, via gesture
COLOUR TEMP	3000k
SUSPENSION	2000mm
CRI	90
WARRANTY	3 years

Light Distribution



Light Distribution Diagram		
0.6	0.69	15304
1.2	1.39	3826
1.8	2.09	1700
2.4	2.77	956.5
3	3.46	612.1
Height (m)	Diameter(m)	Illuminance (lux)


Features

- High performance
- Architecturally designed
- Built-in wave technology that allows for light intensity to be adjusted with hand gesture
- Low glare recessed light sources
- Textured matte black finish



Pearce

Available Colours



Brass

SKU: 027057



White

SKU: 027056


Black

SKU: 027055


Specifications

LED	60 watts
MAX LUMENS	3800
DIMMABLE	Yes
COLOUR TEMP	3000K
SUSPENSION MAX	1650mm
SUSPENSION MIN	700mm
CRI	90
WARRANTY	3 years

Dimensions



Light Distribution



Features

- High performance
- Architecturally designed
- Rise and fall suspension allowing for height adjustments between 700mm and 1600mm, at any time.
- Adjustable illumination from wall switch allows selection between up lighting, downlighting or multidirectional.

MFL
BY MASSON

Academy

Available Colours



White

SKU: 197051



Chrome


SKU: 197052



Black

SKU: 197050

Dimensions




Specifications

LED	21 watts
MAX LUMENS	1300
DIMMABLE	Yes
CRI	90
COLOUR SWITCHING	3000K-4000K-5000K
WARRANTY	3 years

Light Distribution

Based on 3000K



Features

- Architecturally designed
- Adjustable head
- Accessible tri-colour switch
- Extended protrusion to allow for installation over vanity / shaving cabinets





Moku Linear

Available Colours



White


SKU: 181052



Black

SKU: 181053

Dimensions



Specifications


LED	38 watts
MAX LUMENS	2600 max
DIMMABLE	Yes
COLOUR SWITCHING	3000K-4000K-5000K
CRI	>90
WARRANTY	3 years

Features

- Ideal for residential and commercial applications
- Prismatic diffuser for maximum light distribution
- Die cast aluminium
- Accessible tri-colour switch on side of mounting

Light Distribution

Based on 3000K



Moku

Available Colours



White


SKU: 181050



Black

SKU: 181051

Dimensions



Specifications


LED	23 watts
MAX LUMENS	1900 max
DIMMABLE	Yes
COLOUR SWITCHING	3000K-4000K-5000K
CRI	>90
WARRANTY	3 years

Features

- Low glare prismatic diffuser offers exceptional light distribution
- Die cast aluminium
- Accessible tri-colour switch on side of mounting

Light Distribution

Based on 3000K



1 | Select your fitting


Wall Bracket



LED	12 watts
MAX LUMENS	700
DIMMABLE	Yes
IP RATING	IP44**
COLOUR TEMP	3000K
CRI	95
WARRANTY	3 years

● **SKU:** 197033
 ○ **SKU:** 197032
 ● **SKU:** 197031

Pendant



LED	12 watts
MAX LUMENS	700
DIMMABLE	Yes
IP RATING	IP44**
COLOUR TEMP	3000K
CRI	95
WARRANTY	3 years

● **SKU:** 181053
 ○ **SKU:** 181053
 ● **SKU:** 181053

Recessed

(Pair with decorative plate)



LED	8.5 watts
MAX LUMENS	600
DIMMABLE	Yes
IP RATING	IP44**
COLOUR TEMP	3000K/4000K
CUT-OUT SIZE	76mm
CRI	93
WARRANTY	3 years

SKU: 197000/197001

Surface Mounted Light

(Wall or ceiling mountable)




LED	8.5 watts
MAX LUMENS	550
DIMMABLE	Yes
IP RATING	IP44**
COLOUR TEMP	3000K
CRI	93
WARRANTY	3 years


● **SKU:** 197021
 ○ **SKU:** 197021
 ○ **SKU:** 197020
 ● **SKU:** 197019

2A | Select your decorative plate (recessed only)

Round



Oval



2B | Select your finish



Brass

SKU: 197006/197007



Nickel

SKU: 197008/197009



Textured White


SKU: 197004/197005



Textured Black

SKU: 197002/197003

3 | Select your shade




Frosted flat

SKU: 197012




Acrylic cap

SKU: 197013




Frosted dome (Recessed only)

SKU: 197053



Frosted ball

SKU: 197010



Smoked double glass

SKU: 197054



Alabaster ball

SKU: 197011

See over page for more Artisan product applications



Artisan wall bracket in black with alabaster shade



Artisan recessed with frosted dome shade



Artisan pendant in brass with alabaster shade



Artisan surface mounted light in black with frosted shade

MFL
BY MASSON



Canada



White

SKU: 309049

Dimensions



Specifications

LED	9 watts
MAX LUMENS	580
DIMMABLE	Yes
COLOUR TEMP	3000K
RATED LIFE	30,000 hrs
CRI	93
WARRANTY	3 years

Features

- Opal glass shade
- Textured matte paint finish
- Smooth dimming
- Ideal for down a hallway or beside a bed

MFL
BY MASSON

Milan

Available Colours



White

SKU: 307002



Black

SKU: 307003


Specifications

LED	10 watts
MAX LUMENS	680
COLOUR TEMP	3000K
RATED LIFE	30,000 hrs
CRI	85
WARRANTY	3 years


Features

- Up and down illumination
- Compact, close-to-wall design
- IES files available

Dimensions



Light Distribution


MFL
BY MASSON

Milan

Available Colours



White

SKU: 307001



Black

SKU: 307001


Specifications

LED	6.5 watts
MAX LUMENS	400
COLOUR TEMP	3000K
RATED LIFE	30,000 hrs
CRI	93
WARRANTY	3 years


Features

- Adjustable head
- Built-in slimline switch
- IES files available

Dimensions



Light Distribution




Pendant



White

SKU: 010640



Specifications

SOCKET	GU10
MAX WATTAGE	1 x 40 watts
WARRANTY	1 year

Globe not included

Features


- Matte finish gypsum
- Ribbed texture
- Paintable surface for customization
- Smart GU10 compatible

Cylinder Wall Sconce



White

SKU: 307010



Specifications

SOCKET	GU10
MAX WATTAGE	2 x 8 watts LED globe
WARRANTY	1 year

Globe not included

Features

- Minimalist design
- Matte finish gypsum
- Paintable surface for customization
- Up and down illumination
- Smart GU10 compatible

Batten Fix

Available Colours



Gypsum


SKU: 099161



Concrete

SKU: 099162

Dimensions



Specifications

SOCKET	BC
MAX WATTAGE	1 x 45 watts
DIY	Yes
WARRANTY	1 year

Globe not included

Features

- Compatible with standard BC
- Ribbed texture
- Sits flush to ceiling
- Paintable surface for customization
- Smart globe compatible


Wall Sconce



White

SKU: 010461

Dimensions



Specifications

SOCKET	GU10
MAX WATTAGE	2 x 40 watts
WARRANTY	1 year

Globe not included

Features

- Matte finish gypsum
- Ribbed texture
- Paintable surface for customization
- Up and down illumination
- Smart GU10 compatible



MFL
BY MASSON

outdoor



Torno

Available Colours



White

SKU: 239461

Black

SKU: 239460


Specifications

LED	10 watts
MAX LUMENS	550
DIMMABLE	No
COLOUR TEMP	3000K
IP RATING	IP65
CRI	> 80
WARRANTY	3 years


Features

- Opal glass shade
- Internal or external application
- Suitable for modern and traditional homes, hotels and apartments

Dimensions



Light Distribution



Light Distribution Diagram		
0.6	3.19	174.47
1.2	6.39	43.62
1.8	9.58	19.39
2.4	12.77	10.90
3	15.97	6.98
Height (m)	Diameter(m)	Illuminance (lux)
* @ Beam Angle: 139		



Torno

Available Colours



White

SKU: 240971

Black

SKU: 240790


Specifications

LED	10 watts
MAX LUMENS	400
DIMMABLE	No
COLOUR TEMP	3000K
IP RATING	IP65
CRI	85
WARRANTY	3 years


Features

- Opal glass shade
- Internal or external application
- Suitable for modern and traditional homes, hotels and apartments

Dimensions



Light Distribution



Light Distribution Diagram		
0.6	0.84	63.72
1.2	1.68	15.93
1.8	2.52	7.08
2.4	3.36	3.98
3	4.20	2.55
Height (m)	Diameter(m)	Illuminance (lux)

MFL
BY MASSON

Tanimi

Available Colours



Concrete

SKU: 237100



Black


SKU: 237101



Natural

SKU: 237102

Dimensions




Specifications

LED	12 watts
MAX LUMENS	800
DIMMABLE	No
COLOUR TEMP	3000K
IP RATING	IP65
CRI	>80
WARRANTY	1 year

Features

- Durable concrete material
- Radiates light upwards as well as downwards
- Adjustable shutters to control the angle of illumination
- Natural textured finish
- Interior or exterior applications

Light Distribution


MFL
BY MASSON

Tanimi

Available Colours



Concrete

SKU: 237102



Black


SKU: 237104



Natural

SKU: 237105

Dimensions




Specifications

LED	12 watts
MAX LUMENS	800
DIMMABLE	No
COLOUR TEMP	3000K
IP RATING	IP65
CRI	>80
WARRANTY	1 year

Features

- Durable concrete material
- Radiates light upwards as well as downwards
- Natural textured finish
- Interior or exterior applications

Light Distribution





Tanimi

Available Colours



Concrete

SKU: 240770



Black


SKU: 240771



Natural

SKU: 240772

Dimensions



Specifications

SOCKET	GU10
MAX WATTAGE	2 x 8 watts LED globe
IP	IP65
WARRANTY	1 year
Globe not included	

Features

- Durable concrete material
- Natural textured finish
- Interior or exterior applications
- Smart GU10 compatible
- Radiates light upwards as well as downwards



Torant

Available Colours

White
with sensor

SKU: 231080

Black
with sensor

SKU: 231081

White
no sensor

SKU: 231078


Black
no sensor

SKU: 231079


Specifications

LED	15 watts
MAX LUMENS	900
COLOUR TEMP	3000K
RATED LIFE	30,000 hrs
CRI	80
IP RATING	IP65
WARRANTY	3 years

Dimensions



Light Distribution



Features

- Floodlight suitable for court yards
- Up to 12 metres of flood illumination
- Available with and without sensor
- Fully adjustable design
- Wall mount only
- Interior or exterior suitability



MFL
BY MASSON

accent
lighting



Canon Square

Available Colours




White
SKU: 240801



Black
SKU: 240800

Dimensions



Specifications

LED	1.5 watts
MAX LUMENS	60
DIMMABLE	No
COLOUR TEMP	3000K
CUT-OUT SIZE	62mm
CRI	80
WARRANTY	1 year

Features

- Architecturally designed
- Polished glass fascia
- Ideal for residential and commercial applications
- IES files available



Braba

Available Colours




White
SKU: 240796



Black
SKU: 240795

Dimensions



Specifications

LED	3 watts
MAX LUMENS	60
DIMMABLE	No
COLOUR TEMP	3000K
CUT-OUT SIZE	72mm
CRI	80
IP RATING	IP65
WARRANTY	1 year

Features

- Architecturally designed
- Ideal for residential and commercial applications
- IES files available



Canon Rectangle

Available Colours




White
SKU: 240803



Black
SKU: 240802

Dimensions



Specifications

LED	3.5 watts
MAX LUMENS	160
DIMMABLE	No
COLOUR TEMP	3000K
CUT-OUT SIZE	62mm
CRI	80
WARRANTY	1 year

Features

- Architecturally designed
- Polished glass fascia
- Ideal for residential and commercial applications
- IES files available

CUSTOM LED STRIP LIGHTING


Give your home an architectural look with Masson For Light custom LED strip lighting. With a compact design, it fits in any space and creates concealed lighting systems that add style and functionality to your home. Customise your design by simply choosing your profile, LED and driver. There are endless ways to use strip lighting from backlighting mirrors and under floating cabins to walk-in robe joinery, pelmets and ceiling coffers. If you need professional advice, our experts can help you find the right solution for your home or project.

4 LED SOLUTIONS

	SKU 177055	SKU 177056	SKU 177057	SKU 177058
LUMENS	800	800	1600	1600
WATTAGE	9	9	25	25
IP RATING	65	65	65	65
COLOUR	3000K	4000K	3000K	4000K
LENGTH MAX.	10m	10m	8m	10m
CRI	>80	>80	>80	>80



4 PROFILE OPTIONS



**RECESSED
CEILING PROFILE**



**RECESSED
JOINERY PROFILE**



**CORNER
PROFILE**



**SURFACE
MOUNT PROFILE**

MFL

BY MASSON

