

SOUTHAMPTON EXTERIOR WALL SCONCE

SKU# 231232

Rated Voltage 220-240V~ 50Hz

Thank you for purchasing this quality Lucci product. To ensure correct function and safety, please read and follow all instructions carefully before assembly, installation and use of this product. Please keep instructions for future reference.

Warranty

- This light fitting is covered by a 12 month warranty. The warranty is from date of purchase, not the date of installation.
- If the fitting is not assembled and installed by a licensed electrician the warranty will be void.
- Please retain proof of purchase and evidence of assembly and installation by a licensed electrician.
- Warranty will be void if there is any damage due to improper usage or modification to the fitting.
- Failure to comply with the instructions in this manual may increase the risk of damage or injury and will void warranty.

Installation Requirements

- Must be assembled and installed by a licensed electrician.
- All wiring and installation of the light fitting must adhere to local and national wiring rules.
 eg. AS/NZS 3000:2007/Amendment 2:2012 Electrical installations.
- Do not exceed the maximum wattage rating.
- Select a suitable location for installation:
 - This fitting is protected against water penetration to IP23 standards, which is rain only.
 - It is suitable for indoor or outdoor use.
 - The mounting point must support 2 times the weight of the fitting.
- Take care not to pull any electrical wires during unpacking as this may damage the connection.
- Lay out all the components on a smooth surface and make sure there are no components missing before assembling. If parts are missing, return the complete product to the place of purchase for inspection or replacement.
- Check whether the fitting has been damaged during transport. Do not operate/install any product which appears
 damaged in any way. Return the complete product to the place of purchase for inspection, repair or replacement.
- Ensure power to the circuit you are working on has been switched OFF before commencing any electrical work.

Installation Directions

- 1. Remove all packaging material from the product and be careful not to throw away accessories that may be hidden within the packaging material.
- 2. Remove the mounting bracket (B) from the fitting (F) by loosening the screws (E).
- 3. Use the mounting bracket (B) as a template to mark the screw positions on the wall.
- 4. Install the mounting bracket (B) on the wall by using appropriately sized mounting screws (C) and anchors (A).

 Ensure the screws (C) and anchors (A) used are suitable for the mounting surface and the surrounding environment.
- 5. Remove the terminal box cover (D) and connect the mains supply wire to the terminal block.

Mains Supply WireFittingEarth − Yellow/Green ⊕Yellow/Green or ⊕Neutral − Blue or BlackBlue or "N"Live − Brown or RedBrown or "L"


6. Ensure the wires are secure and no bare wires are exposed. Install the cover (D) back onto the terminal box.


NOTE: It is recommended that a non-corrosive bead of silicone be applied before installation onto the wall ensuring that no water can run down into the cabling.

- 7. Install the fitting (F) back onto the mounting bracket (B) by tightening the screws (E).
- 8. Install a globe (H not included) into the lamp holder (G). Do not exceed the maximum wattage rating.
- Make any final adjustments to the fitting and check that all parts are secured tightly before turning on.

1 | Page v1.0







Safety Tips

- Always ensure the power is OFF and the fitting has cooled down before performing any maintenance, cleaning, changing the globe or adjustment to the fitting.
- To avoid injury or damage to the fitting, ensure that power leads and screws are secure before connecting the power.
- The fitting must not be used if the protective shield has been cracked. Replace any cracked protective shield.
- Ensure that the fitting does not come in contact with corrosive chemicals, etc.
- To clean, wipe with a damp clean cloth. Never soak the fitting with water.

Specifications	
SKU#	231232
Rated Voltage	220-240V~ 50Hz
Rated Wattage	45W Max.
Lamp Holder	ES
IP rating	IP23
Weight	2.1 Kg
Dimensions	H:300mm W:150mm E:160mm

2 | Page v1.0